

BLISTER CARD - FRONT
SIZE: 5.85" x 9"

COLORS: BLACK; YELLOW (0 - 0 - 100 - 0); RED (0 - 100 - 85 - 10)

Following elements are FPO (For Position Only): the four illustrations under "Application Steps" and the UPC code (on the back of the blister card) and the USA/Flag illustration (on the front of the insert card).

THE GIANT DESTROYER®
THE SUPER GASSER



**This product has been used successfully for many years
to control pests listed on this label.**

KEEP OUT OF REACH OF CHILDREN
WARNING

See back of card for additional precautionary statements

Active Ingredients:

Sodium Nitrate	50%
Sulfur	38%
Charcoal	9%
Other Ingredients:	3%
TOTAL	100%

BLISTER CARD - BACK

SIZE: 5.85" x 9"

This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not treat burrows. See **Package Insert** label for complete **Environmental Hazards** text, including **Endangered Species Considerations**.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye irritation. After ignition cartridge produces toxic gases such as oxides of sulfur and carbon monoxide. Fumes from ignited cartridge may be harmful if inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing fumes. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not treat burrows. It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. See **Package Insert** label for complete **Environmental Hazards** text, including **Endangered Species Considerations**.

CHEMICAL HAZARDS

Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves or other combustible materials.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire labeling and insert before using this product. Only use for sites, pests, and application methods specified on this labeling.

USE RESTRICTIONS: FOR OUTDOOR USE ONLY. This product may only be used to control pocket gophers, moles, woodchucks,* Norway rats,** skunks, and ground squirrels in non-crop areas (including residential lawns, parks, golf courses, re-forested areas, open fields) and in rangeland. Do not use where use of gas cartridges is prohibited by local ordinances. Do not use under buildings, homes, porches or other structure due to possible fire hazard. Only use inside of burrows and never inside of buildings. Product effectiveness may be limited in dry or porous soil which permits the escape of toxic gases from treated burrow.

PRIOR TO APPLICATION:

Carefully observe areas to be treated. Apply cartridges only to burrow systems or dens currently being used by target species. Do not apply cartridges to burrows or dens known or believed to contain non-target vertebrate animals. Do not use cartridges where vegetation is dry and likely to catch fire.

How to use the GIANT DESTROYER® - Use only inside burrows never inside of buildings.

APPLICATION STEPS:

1. Read and understand the specific instructions for the type of animal that you intend to control. Prepare hole for treatment as specified in instructions below for target animal control.
2. Collect sufficient soil, rocks or other noncombustible materials to close burrow system after insertion of cartridge.

3. Find main runway and clear one opening. Make sure the burrow or den hole(s) are large enough for easy insertion of cartridge and that all other openings are sealed.



4. Insert fuse firmly into cartridge end, making sure at least two inches of fuse protrudes from the cartridge. Position yourself so that you can light fuse and promptly insert cartridge into burrow. The minimum fuse burn time is 5 seconds.



5. Working quickly, light fuse and insert cartridge into hole fuse-end first. Never light the cartridge directly [or with less than 2 inches of fuse] nor hold a burning cartridge in your hand.



6. Cover hole immediately with rock or sod, taking care not to smother cartridge. Immediately cover all openings from which gas escape is visible. Avoid breathing cartridge smoke.



FOLLOW THESE INSTRUCTIONS:

MOLES (lawns, golf courses, non-crop areas) – To locate the main runway, look for fresh conical mounds of dirt. Select the freshest of these, remove plug and dig in the direction of main runway. If lateral to the mound is plugged, either dig past the plug or probe ground around the plug to locate main runway. Main runway will be found when probe meets little or no resistance. Follow application steps 1-6 above. If your excavations have divided main runway into sections, treat each portion.

NORWAY RAT** (non-crop areas) – Use only where burrows are isolated from homes, barns, and other man-made structures. DO NOT USE inside buildings or anywhere where gasses could enter buildings. Follow application steps 1-6 above. Proceed to next closest burrow and treat as above.

GROUND SQUIRRELS (rangeland) Follow application steps 1-6 above. Proceed to next closest burrow and treat as above.

SKUNKS (non-crop areas) – Locate all entrances to den. Do not treat dens under inhabited structures or buildings where toxic gasses could reach humans, pets or domestic animals including livestock. Follow application steps 1-6 above. KANSAS Need wildlife permit (see insert)

WOODCHUCKS* (open fields, non-crop areas) – Locate all burrow entrances. Select one for use and close all other entrances with rock and dirt. Follow application steps 1-6 above. Consult State game laws before using this product for woodchuck control.

POCKET GOPHERS (meadows, reforested areas) – Locate a characteristic fan-shaped mound with signs of recent gopher activity (e.g., recently excavated soil) at plugged burrow entrances. Determine if burrow is active by removing soil plug from center of each burrow entrance. Return the next day to see if the burrow opening has been re-plugged, indicating active use by a pocket gopher. DO NOT treat burrows that remain unplugged. Find the horseshoe-shaped depression on one side of the plugged mound. Locate the main runway by probing the ground 15-18" (38-46cm) from the mound, starting on the same side as the depression. The main runway has been located when friction on the probe is released and it falls into the runway. Using a shovel or trowel, dig down to the main runway, taking care not to block it with soil, to create a hole. Follow application steps 1-6 above. Treat all active mounds. One cartridge placed in the end of a runway should be sufficient. One or more additional cartridges should be used if treatment takes place in the middle of runway or if runway is "T-shaped" to reach pocket gophers that may be on the untreated side of the plugged runway. Re-treat in 5-7 days if new or residual activity appears.


For larger animals, or for longer or multiple runways, use more than one cartridge.

**For use on pocket gophers only*

***Not for use on woodchucks in California*

***Use in North Carolina on Norway rats only*





5

THE GIANT DESTROYER See outer package label for ingredients, use directions, and additional precautions. Before applying product, read entire labeling, including the Outer Package, Cartridge and Insert Labels. This Insert includes the complete "Environmental Hazards" text, including the "Endangered Species Considerations."

PRECAUTIONARY STATEMENTS

Environmental Hazards

This product is highly toxic to wildlife. Check all burrows for signs of nontarget species. If present, do not treat burrows. It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. See the Endangered Species section in the Directions for Use section of this labeling.

ENDANGERED SPECIES CONSIDERATIONS

General Considerations

NOTICE: The killing of a member of an endangered species due to the use of gas cartridges may result in a fine and/or imprisonment under the Endangered Species Act. All users of this product must determine whether endangered species are known to occur or might occur in the intended use areas. Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State agency for current information on habitats occupied by endangered species.

Specific Considerations

Use this product according to these instructions AND the instructions in the Endangered Species Protection Bulletin (see the "Use Restrictions" found under the "Directions for Use" section) to protect endangered and threatened species.

Black-Footed Ferret (*Mustela nigripes*): To limit risks to the black-footed ferret and to avoid destruction of its prey base, do not use this product within 4.3 miles (7 kilometers) of any prairie dog town **unless** the colony is an isolated black-tailed prairie dog town less than 80 acres in size or an isolated white-tailed or Gunnison prairie dog town less than 200 acres in size, or **unless** the town has been appropriately surveyed, using methods acceptable to the U.S. Fish and Wildlife Service, and found not to contain black-footed ferrets and found by the FWS not to be a suitable site for ferret reintroductions. Use of this product within the occupied habitats of the organisms listed immediately below is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California state or Federal agencies, or agents of county agricultural offices or university extension offices.

Fresno kangaroo rat (*Dipodomys nitratoides exilis*): in Fresno and Merced Counties, California.

Giant kangaroo rat (*D. Ingens*): in Merced, Fresno, Kings, Tulare, Kern, San Luis Obispo, and Santa Barbara Counties, California.

Stephen's kangaroo rat (*D. stephensi*): in Riverside, San Diego, and San Bernadino Counties, California.

Tipton kangaroo rat (*D. n. nitratoides*): in Kings, Tulare, Kern and Fresno Counties, California.

Point Arena mountain beaver (*Aplodontia rufa nigra*): in Mendocino County, California.

San Joaquin kit fox (*Vulpes macrotis mutica*): **unless** authorized by the U.S. Fish and Wildlife Service in Alameda, Contra Costa, Fresno, Kern, Kings, Merced, Monterey, San Benito, San Joaquin, San Luis Obispo, Santa Barbara, Santa Clara, Stanislaus, or Tulare Counties, California.

Desert tortoise (*Gopherus agassizii*): in Arizona, southern California, southern Nevada, and southern Utah.

Do not use this product within the occupied habitats of the endangered animals listed immediately below.

Morro Bay kangaroo rat (*D. heermanni morroensis*): in San Luis Obispo County, California.

Coachella Valley fringe-toed lizard (*Uma inornata*): in the Coachella Valley area of southern California.

Island night lizard (*Xantusia riversiana*): on Santa Barbara, San Clemente, and San Nicolas Islands, California.

Blunt-nosed leopard lizard (*Gambelia silus*): Do not use this product within the occupied habitat of the blunt-nosed leopard lizard in Fresno, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Clara and Stanislaus Counties, California, from October 1 to April 15 **unless** a specific blunt-nosed lizard protection plan for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species from April 15 through September 30 is limited to daylight hours when air temperatures are 77-95°F (25-35° C).

San Francisco garter snake (*Thamnophis sirtalis tetrataenia*): Do not use this product within the occupied habitat of the San Francisco garter snake in San Mateo, San Francisco, Santa Clara, and Santa Cruz Counties, California from November 1 to March 30 **unless** a specific San Francisco garter snake protection program for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species under such approved programs or from April 1 through October 31 is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California State or Federal agencies, or agents of county agricultural offices or university extension offices.

Eastern indigo snake (*Drymarchon corais couperi*): Do not use product within habitat types and locales known to support the Eastern Indigo snake throughout Florida and the coastal plain of Georgia.

4.5000

EPA Reg. No. 10551-1 EPA Est. No. 73591-MO-001