



Borroughs automotive workstations for vehicle servicing, diagnostic, and repair work



MADE BY PROFESSIONALS FOR PROFESSIONALS.



LIMITED LIFETIME WARRANTY

Borroughs Corporation extends to the original purchaser from the date of purchase a lifetime limited warranty against manufacturing defects in material and workmanship. If a Borroughs product fails to perform because of a manufacturing defect, Borroughs will examine it. If found defective, it will be repaired or replaced at our option. This warranty applies only to Borroughs products acquired directly from Borroughs Corporation or from Authorized Borroughs Dealers. This warranty does not apply to any product which has been subject to misuse, negligence, or accident; has been damaged in shipment, storage, or installation; has been misapplied

OUR MISSION WAS SIMPLE – design a workstation that automotive industry technicians & service professionals will feel they designed themselves.

Borroughs automotive workstations meet every need you have, and every need you will have. Our automotive workstations are rugged, durable, easily customizable, and shockingly affordable.




or has been modified or repaired by unauthorized persons or been repaired with non-standard Borroughs replacement parts. This warranty specifically excludes claims for indirect, incidental, or consequential damages arising in any way from a product defect. This warranty is exclusive, and exists in lieu of all other warranties, either expressed or implied. This warranty gives you specific legal rights; you may also have other rights which may vary from state to state. Contact your Borroughs Selling Dealer, to obtain warranty problem with your claim.



THE BORROUGHS DIFFERENCE


BORROUGHS HAS DESIGNED, REFINED and rigorously tested our new automotive workstations. We started on the outside with sleek new upper cabinets complete with stainless steel accents – as a standard. Then we streamlined the handles and hid fasteners on lower cabinets to create a modern, sleek look - that will stand up to everyday abuse as well as impress customers. Finally, we engineered our components to be seamlessly mixed and matched for just the right configuration to meet your specific needs.

Now take a look under the hood. We manufacture the industry's strongest tool drawers with a quiet self-close feature. We designed our upper cabinets to use minimal effort to open, with a standard soft close mechanism. We even researched placement of storage, to reduce your technician's footsteps and speed up service. The final result – A Borroughs workstation that runs smoothly and efficiently.



BUSINESS DRIVEN FEATURES & BENEFITS

- Drawers feature best slides in the industry with 110% drawer extension. This allows for technicians to quickly locate tools or hardware in the back of the drawers.
- Upper cabinets are intentionally designed so technicans can lift the door with one hand– without torquing or twisting. This allows for faster retrieval of supplies, manuals or stowed away items.
- All locks boast a removable core to easily change if necessary, and can be keyed alike or individually, for your security needs.
- Lift and reel cabinets feature knock-out back and bottom panels for easy installation of utilities, and integrate seamlessly into the workstations.
- Clean, well designed workstations help brand your business, increases customer return rate, and increases productivity and technician retention rates.






WORKSTATION COMPONENTS

OUR TECHNICAL SUPPORT TEAM is always available to assist you in the configuration of any Borroughs workstation. With that in mind, we have provided illustrations of key components that make up the majority of today's service workstations. **Build your station in 5 steps**, which we have outlined at the bottom of the following pages.



DRAWER CABINETS

- 400 lb. capacity w/ 110% full extension for full access to back of drawer.
- Auto-safety clips lock the suspension to the drawer, preventing accidental release.
- All drawers are supplied with a black, polyester mesh liner.
- Ergonomic handles are flush with housing, full-width, and are located at the top of each drawer.
- Drawers are perfect for tool and/or bulk storage.





LIFT CONTROL CABINETS

- All cabinets feature 6" x 12" knock-out panels located on back and bottom of cabinet for easy field-access to utility hook-ups.
- Available in three (3) styles:





CART/TRASH GARAGES

- Provides open-base access for the storage of mobile products like service carts and trash containers.
- Features a lockable swing door for security.
- Available in two (2) styles:

Full-Sided Garage cabinet that is available with either a stainless leg base or a fork truck base.

Single-Sided Garage is a welded frame that supports the door and is attached to adjacent cabinets.




CREATING YOUR WORK STATION IN 5 STEPS




What components will you have under your work surface? Some things to keep in mind are:

- How much tool space is needed?
- Will your techs use a dual workstation?
- Where are utilities located (overhead or under)?
- What type of lift control do you use?











REEL CABINETS


- Offers integrated, easy-access to power, liquids, or air hose reels.
- All units feature 6" x 12" knock-out panels located on back and bottom of cabinet for easy field-access to utility hook-ups.
- All hose ends are recessed into the cabinet– face eliminating aisle protrusions.
- Includes cabinet face roller guides, for faster and easier reel use.
- Includes a drip tray with a removable liquid absorbing insert for easy cleaning.






SHELF CABINETS

- Includes (1) bottom shelf and (1) adjustable shelf.
- Swing doors are reinforced to provide security for bulky items stored on shelves.







OIL RECEIVER GARAGE


- Cabinet that features an open bottom and a lockable swing door.
- Provides open-base access for the storage of a mobile oil waste receiver.
- Stand-alone unit located adjacent to the work surface.
- Features an adjustable shelf located justabove the oil receiver.



- How much space is available?
- Do I need trash/cart space?




- Do I need space for larger items?
- Do I need storage for oil refuse?



NEXT STEP




WORKSTATION COMPONENTS



WORK SURFACES

- Installed with a 3/4" overhang at front edge of the lower cabinets.
- All work surfaces measure 30"D x 15/8" thick.
- All work surfaces are flush at the rear, and have a solid wood core.
- Available in three (3) styles all constructed from 16-gauge steel:
- * Tapered Stainless Steel Top Stainless Steel Top Painted Steel Top



RISER FRAMES

- Designed to support the upper cabinets without requiring cantilevered support, requires minimal fasteners to assemble, while providing a clear-open work area underneath.
- Heavy-duty framework mounts to panels at each end of the work surface and to a rear chase panel at back.
- Panel in panel end design provides clean aesthetics that covers the attachment fasteners.
- Open channel-frame provides for hidden cable management.
- Available in three (3) styles:


Riser Frame Tapered (This option is only applicable to the tapered work surface)
Riser Frame Stainless
Riser Frame Painted

CREATING YOUR WORK STATION IN 5 STEPS



What type of work surface?

• Do you need electric, or data inputs?



STEP 3 see page 15

Do I need Upper Cabinet Storage?

- Are uppers mounted to a wall or riser?
- Do I need computer monitor storage?






UPPER CABINETS

- Strongest and most spacious upper cabinets in the industry measuring 18"D x 19"H.
- Tip-up, slide-in doors mounted to "rack & pinion" slides provide single-hand operation.
- Soft-close with built-in dampers, helps longevity of cabinets.
- Can be mounted easily atop riser frame or can be wall-mounted.

Optional Computer Support Arm Kit.

Optional Undercounter Task Lighting Kit.





STAINLESS STEEL LEGS

- Provides a work surface height of 41^{5/8}".
- Each stainless steel leg can be adjusted vertically to provide system leveling.
- Allows for cleaning of liquid prone areas.



STAINLESS STEEL KICK-PLATES

 Optional 14-gauge stainless steel kick-plates can be ordered separately to cover the stainless steel leg bases.




FORK TRUCK BASE

- Provides a work surface height of 38^{5/8}".
- Economic alternative to adjustable leg bases.
- A snap-in cover completes the assembly, providing a clean aesthetic.

STEP 4
see page 14

Do I need Riser Frames?


- Do I need support for upper cabinets?
- Do I need a chase panel?



STEP 5

What working height & color?

- Do I want stainless steel legs?
- Do I want fork truck bases?
- What color should I order?








DRAWER CABINETS


23" Wide Cabinets

All Automotive Workstation lower components come standard with fork truck bases and covers. Replace "FT" in the part number with "SL" for stainless steel leg base.







BASES HAVE A HEIGHT OF 40".




A1-232940FT-MD09AM




A1-232940FT-MD08AM




A1-232940FT-MD07AM



A1-232940FT-MD07BM



NOTE: STAINLESS STEEL LEG




A1-232940FT-MD06BM



A1-232940FT-MD06CM



A1-232940FT-MD05AM




A1-232940FT-MD05BM


| . e | Drawer Number | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
|-----------------|-------------------|-------|--------|--------|--------------------|--------|-------|----|-------|--------|-------|--------|---------|--------|--------|---------|
| Drawer Table | Usable Height | 21/4" | 31/16" | 37/8" | 4 ^{5/8} " | 57/16" | 61/4" | 7" | 73/4" | 89/16" | 93/8" | 101/8" | 1015/16 | 113/4" | 121/2" | 135/16" |
| ۵, | Drawer Size Small | | | Medium | | | Large | | | | | | | | | |

30" Wide Cabinets






NOTE: STAINLESS STEEL LEG BASES HAVE A HEIGHT OF 40".





A1-302940FT-MD09DM







A1-302940FT-MD07FM













A1-302940FT-MD06DM




A1-302940FT-MD05BM



A1-302940FT-MD06AM








DRAWER CABINETS

45" Wide Cabinets


All Automotive Workstation lower components come standard with fork truck bases and covers.

Replace "FT" in the part number with "SL" for stainless steel leg base.



| 8 | - e | Drawer Number | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
|---|-------|---------------|-------|--------|--------|-------|---------------------|-------|----|-------|--------|-------|--------|----------|--------|--------|---------|
| | Table | Usable Height | 21/4" | 31/16" | 37/8" | 45/8" | 5 ^{7/16} " | 61/4" | 7" | 73/4" | 89/16" | 93/8" | 101/8" | 1015/16" | 113/4" | 121/2" | 135/16" |
| 6 | , . | Drawer Size | Small | | Medium | | | Large | | | | | | | | | |

60" Wide Cabinets



STAINLESS STEEL KICK-PLATES (OPTIONAL FEATURE USED WITH STAINLESS STEEL LEG BASE)








LIFT CONTROL CABINETS

All Automotive Workstation lower components come standard with fork truck bases and covers. Replace "FT" in the part number with "SL" for stainless steel leg base.





Knock-outs in the back & bottom of unit provide easy access for utility hook-ups.

| Г | 80 0 | ٦ |
|---|-------------|---|
| | - 6 | |
| L | | |
| | | |
| ı | | |
| | == | |
| | | |
| | | _ |
| | | |

| A1-232940FT-RSW |
|-----------------|
| A1-232940SL-RSW |
| |
| A1-232340FT-RIB |

| A1-232340FT-RIB |
|-----------------|
| A1-232340SL-RIB |
| A1-232940FT-RIB |
| A1-232940SL-RIB |

| A1-232340FT-RIB | |
|-----------------|--|
| A1-232340SL-RIB | |
| A1-232940FT-RIB | |
| A1-232940SL-RIB | |
| | |


| i | A1-232340FT-CHL |
|-----|-----------------|
| °,0 | A1-232340SL-CHL |
| | A1-232940FT-CHL |
| | A1-232940SL-CHL |


| Lift Control Cabinet Rotary Shockwave Stainless Leg Base | 22 ^{13/16} x 29 ^{1/4} x 40 |
|---|---|
| Lift Control Cabinet Rotary InBay Fork Truck Base | 22 ^{13/16} "x 23 ^{3/8} "x 37" |
| Lift Control Cabinet Rotary InBay Stainless Leg Base | 22 ^{13/16} "x 23 ^{3/8} "x 40" |
| Lift Control Cabinet Rotary InBay Fork Truck Base | 22 ^{13/16} "x 29 ^{1/4} "x 37" |
| Lift Control Cabinet Rotary InBay Stainless Leg Base | 22 ^{13/16} "x 29 ^{1/4} "x 40" |
| | |

| HL | Lift Control Cabinet Challenger Fork Truck Base | 22 ^{13/16} "x 23 ^{3/8} "x 37" |
|----|---|---|
| HL | Lift Control Cabinet Challenger Stainless Leg Base | 22 ^{13/16} "x 23 ^{3/8} "x 40" |
| HL | Lift Control Cabinet Challenger Fork Truck Base | 22 ^{13/16} "x 29 ^{1/4} "x 37" |
| HL | Lift Control Cabinet Challenger Stainless Leg Base | 22 ^{13/16} "x 29 ^{1/4} "x 40" |

Lift Control Cabinet Rotary Shockwave Fork Truck Base

TRASH/CART GARAGES





| ŀ |
|---|
| ļ |
| ļ |

| A1-302940FT-FSG | Full Sided Garage - Fork Truck Base | 30" x 29 ^{1/4} " x 37" |
|-----------------|--|---------------------------------|
| A1-302940SL-FSG | Full Sided Garage - Stainless Leg Base | 30" x 29 ^{1/4} " x 40" |

| A1-3040-SSG | Single Sided Garage (No Base) |
|-------------|-------------------------------|
| | |

| 3U" V | 61/4" v | 40° |
|-------|---------|-----|

Width x Depth x Height

Width x Depth x Height 22^{13/16}*x 29^{1/4}*x 37*





A1-MWC (other colors available)

A1-452940SL-4RL

MOBILE WASTE CART


22"Dia. x 347/8"H


Width x Depth x Height

 $45^{3/16}$ " x $29^{1/4}$ " x 40"

REEL CABINETS







| 0 | 0 |
|---|---|
| • | 0 |
| | |
| | |
| | |





| A1-232940FT-2RL | 2-Reel Cabinet Fork Truck Base | 22 ^{13/16} " x 29 ^{1/4} " x 37" |
|-----------------|--|---|
| A1-232940SL-2RL | 2-Reel Cabinet Stainless Leg Base | 22 ^{13/16} " x 29 ^{1/4} " x 40" |
| A1-302940FT-3RL | 3-Reel Cabinet Fork Truck Base | 30" x 29 ^{1/4} " x 37" |
| A1-302940SL-3RL | 3-Reel Cabinet Stainless Leg Base | 30" x 29 ^{1/4} " x 40" |
| A1-452940FT-4RL | 4-Reel Cabinet Fork Truck Base | 45 ^{3/16} " x 29 ^{1/4} " x 37" |
| | | |

4-Reel Cabinet Stainless Leg Base



SHELF CABINETS

All Automotive Workstation lower components come standard with fork truck bases and covers. Replace "FT" in the part number with "SL" for stainless steel leg base.



Note: Stainless steel leg bases have a height of 40".






A1-232940FT-S2FHDN



A1-232940FT-S2NDNN







45" Shelf Cabinets

453/16"W

37"h












FORK TRUCK BASE















Width x Depth x Height

OIL RECEIVER GARAGE





| A1-302968FT-ORG | Oil Receiver Garage Fork Truck Base | 30" x 29 ^{1/4} " x 59" |
|-----------------|-------------------------------------|---------------------------------|
| | | |

A1-302968SL-ORG 30" x 291/4" x 62" Oil Receiver Garage Stainless Leg Base





WORK SURFACES



TAPERED STAINLESS STEEL

* If a riser frame is ordered it must use a painted riser with stainless steel tapered chase.

| | 137"W — | 9 |
|--|---------|---|
| | | |

Sample configuration

| | | wiath x Depth x Height |
|--------------|---------------------------|---------------------------------|
| A1-04630TSST | Tapered Stainless Top Kit | 46" x 30" x 1 ^{5/8} " |
| A1-05430TSST | Tapered Stainless Top Kit | 54" x 30" x 1 ^{5/8} " |
| A1-06130TSST | Tapered Stainless Top Kit | 61" x 30" x 1 ^{5/8} " |
| A1-06930TSST | Tapered Stainless Top Kit | 69" x 30" x 1 ^{5/8} " |
| A1-07630TSST | Tapered Stainless Top Kit | 76" x 30" x 1 ^{5/8} " |
| A1-08430TSST | Tapered Stainless Top Kit | 84" x 30" x 1 ^{5/8} " |
| A1-09230TSST | Tapered Stainless Top Kit | 92" x 30" x 1 ^{5/8} " |
| A1-09930TSST | Tapered Stainless Top Kit | 99" x 30" x 1 ^{5/8} " |
| A1-10630TSST | Tapered Stainless Top Kit | 106" x 30" x 1 ^{5/8} " |
| A1-11430TSST | Tapered Stainless Top Kit | 114" x 30" x 1 ^{5/8} " |
| A1-12230TSST | Tapered Stainless Top Kit | 122" x 30" x 1 ^{5/8} " |
| A1-12930TSST | Tapered Stainless Top Kit | 129" x 30" x 1 ^{5/8} " |
| A1-13730TSST | Tapered Stainless Top Kit | 137" x 30" x 1 ^{5/8} " |
| A1-14430TSST | Tapered Stainless Top Kit | 144" x 30" x 1 ^{5/8} " |



| 54"W — | 84"W | |
|--------|------|---|
| | | 0 |

| M1-04630SST | Stainless Top Kit | 46" x 30" x 1 ^{5/8} " |
|-------------|-------------------|---------------------------------|
| M1-05430SST | Stainless Top Kit | 54" x 30" x 1 ^{5/8} " |
| M1-06130SST | Stainless Top Kit | 61" x 30" x 1 ^{5/8} " |
| M1-06930SST | Stainless Top Kit | 69" x 30" x 1 ^{5/8} " |
| M1-07630SST | Stainless Top Kit | 76" x 30" x $1^{5/8}$ " |
| M1-08430SST | Stainless Top Kit | 84" x 30" x 1 ^{5/8} " |
| M1-09230SST | Stainless Top Kit | 92" x 30" x 1 ^{5/8} " |
| M1-09930SST | Stainless Top Kit | 99" x 30" x 1 ^{5/8} " |
| M1-10630SST | Stainless Top Kit | 106" x 30" x 1 ^{5/8} " |
| M1-11430SST | Stainless Top Kit | 114" x 30" x 1 ^{5/8} " |
| M1-12230SST | Stainless Top Kit | 122" x 30" x 1 ^{5/8} " |
| M1-12930SST | Stainless Top Kit | 129" x 30" x 1 ^{5/8} " |
| M1-13730SST | Stainless Top Kit | 137" x 30" x 1 ^{5/8} " |
| M1-14430SST | Stainless Top Kit | 144" x 30" x 1 ^{5/8} " |
| | | |



| | – 99"W – |
|-----|----------|
| :11 | |
| | 0 |

| Sampl | e config | uration |
|-------|----------|---------|
|-------|----------|---------|

| M1-04630PST | Painted Steel Top Kit | 46" x 30" x 1 ^{5/8} " |
|-------------|-----------------------|---------------------------------|
| M1-05430PST | Painted Steel Top Kit | 54" x 30" x 1 ^{5/8} " |
| M1-06130PST | Painted Steel Top Kit | 61" x 30" x 1 ^{5/8} " |
| M1-06930PST | Painted Steel Top Kit | 69" x 30" x 1 ^{5/8} " |
| M1-07630PST | Painted Steel Top Kit | 76" x 30" x 1 ^{5/8} " |
| M1-08430PST | Painted Steel Top Kit | 84" x 30" x 1 ^{5/8} " |
| M1-09230PST | Painted Steel Top Kit | 92" x 30" x 1 ^{5/8} " |
| M1-09930PST | Painted Steel Top Kit | 99" x 30" x 1 ^{5/8} " |
| M1-10630PST | Painted Steel Top Kit | 106" x 30" x 1 ^{5/8} " |
| M1-11430PST | Painted Steel Top Kit | 114" x 30" x 1 ^{5/8} " |
| M1-12230PST | Painted Steel Top Kit | 122" x 30" x 1 ^{5/8} " |
| M1-12930PST | Painted Steel Top Kit | 129" x 30" x 1 ^{5/8} " |
| M1-13730PST | Painted Steel Top Kit | 137" x 30" x 1 ^{5/8} " |
| M1-14430PST | Painted Steel Top Kit | 144" x 30" x 1 ^{5/8} " |

(8)

RISER FRAMES



| 54"W | 84"W | |
|------|------|--|
| d G | | |

| A1-048RFTS | Riser Frame Tapered Stainless Kit | 48" x 18" x 19" |
|------------|-----------------------------------|------------------|
| A1-054RFTS | Riser Frame Tapered Stainless Kit | 54" x 18" x 19" |
| A1-060RFTS | Riser Frame Tapered Stainless Kit | 60" x 18" x 19" |
| A1-072RFTS | Riser Frame Tapered Stainless Kit | 72" x 18" x 19" |
| A1-084RFTS | Riser Frame Tapered Stainless Kit | 84" x 18" x 19" |
| A1-090RFTS | Riser Frame Tapered Stainless Kit | 90" x 18" x 19" |
| A1-096RFTS | Riser Frame Tapered Stainless Kit | 96" x 18" x 19" |
| A1-102RFTS | Riser Frame Tapered Stainless Kit | 102" x 18" x 19" |
| A1-108RFTS | Riser Frame Tapered Stainless Kit | 108" x 18" x 19" |
| A1-114RFTS | Riser Frame Tapered Stainless Kit | 114" x 18" x 19" |
| A1-120RFTS | Riser Frame Tapered Stainless Kit | 120" x 18" x 19" |
| A1-126RFTS | Riser Frame Tapered Stainless Kit | 126" x 18" x 19" |
| A1-132RFTS | Riser Frame Tapered Stainless Kit | 132" x 18" x 19" |
| A1-144RFTS | Riser Frame Tapered Stainless Kit | 144" x 18" x 19" |

* This option is only applicable to the Tapered Work Surface.



| • | 0 | 0 | |
|---|---|---|--|
| | | | |

| Riser Frame Stainless Kit | 48" x 18" x 19" |
|---------------------------|---|
| Riser Frame Stainless Kit | 54" x 18" x 19" |
| Riser Frame Stainless Kit | 60" x 18" x 19" |
| Riser Frame Stainless Kit | 72" x 18" x 19" |
| Riser Frame Stainless Kit | 84" x 18" x 19" |
| Riser Frame Stainless Kit | 90" x 18" x 19" |
| Riser Frame Stainless Kit | 96" x 18" x 19" |
| Riser Frame Stainless Kit | 102" x 18" x 19" |
| Riser Frame Stainless Kit | 108" x 18" x 19" |
| Riser Frame Stainless Kit | 114" x 18" x 19" |
| Riser Frame Stainless Kit | 120" x 18" x 19" |
| Riser Frame Stainless Kit | 126" x 18" x 19" |
| Riser Frame Stainless Kit | 132" x 18" x 19" |
| Riser Frame Stainless Kit | 144" x 18" x 19" |
| | Riser Frame Stainless Kit |




| 0 0 | 0 0 | . 1 | | |
|-----|-----|-----|--|--|

| A1-048RFP | Riser Frame Painted Kit | 48" x 18" x 19" |
|-----------|-------------------------|------------------|
| A1-054RFP | Riser Frame Painted Kit | 54" x 18" x 19" |
| A1-060RFP | Riser Frame Painted Kit | 60" x 18" x 19" |
| A1-072RFP | Riser Frame Painted Kit | 72" x 18" x 19" |
| A1-084RFP | Riser Frame Painted Kit | 84" x 18" x 19" |
| A1-090RFP | Riser Frame Painted Kit | 90" x 18" x 19" |
| A1-096RFP | Riser Frame Painted Kit | 96" x 18" x 19" |
| A1-102RFP | Riser Frame Painted Kit | 102" x 18" x 19" |
| A1-108RFP | Riser Frame Painted Kit | 108" x 18" x 19" |
| A1-114RFP | Riser Frame Painted Kit | 114" x 18" x 19" |
| A1-120RFP | Riser Frame Painted Kit | 120" x 18" x 19" |
| A1-126RFP | Riser Frame Painted Kit | 126" x 18" x 19" |
| A1-132RFP | Riser Frame Painted Kit | 132" x 18" x 19" |
| A1-144RFP | Riser Frame Painted Kit | 144" x 18" x 19" |



9 UPPER CABINETS



COMPUTER SUPPORT ARM



A1-CSA

- Designed to support a laptop or a computer keyboard and mouse.
- Can be located under upper cabinet or under riser.

PIVOTING MEDALLION LIGHT



- A1-UTLS Starter Unit
 A1-UTLA Adder Unit
- Streamlined LED Lighting.
- Ability to pivot for angled lighting.
- Mounts magnetically (no screws).
- 24" in length.

SERVICE CARTS

The **Service Cart** is a mobile platform for technicians' tools and repair parts. Designed to fit under the work surface and behind a lockable garage, this cart can maneuver right where you need it.

| | | Width A Depth A Fleight |
|----------|---|--|
| A1-BSC | Basic Service Cart | 22" x 24" x 34" |
| A1-BSCF | Basic Service Cart with 12" Flipup | 22" x 24" x 34" |
| A1-BSCFH | Basic Service Cart with Flipup and Hardwood | 22" x 24" x 34" |
| | A1-BSCF | A1-BSCF Basic Service Cart with 12" Flipup |

Pictured below, in order from left to right

- **4** Swivel casters on non-marking impact resistant treads.
- 2 100 lb. capacity fixed (top & bottom) shelves.
- **1** 100 lb. capacity adjustable (middle) shelf.





41" height cabinets

41" height cabinets

45" height cabinets

SIDE-BY-SIDE MOBILE CABINETS




- Stainless steel tops and push/pull handle standard.
- (2) locking swivel & (2) straight 6" casters.
- Progressive operation provides for the smoothest operating drawers in the industry.
- 400 lb. capacity w/ 110% full extension for full access to back of drawer.
- Auto-safety clips lock the suspension to the drawer, preventing accidental release.
- All drawers are supplied with a black, polyester mesh liner.
- Single drawer access standard.
- · Locks are keyed-alike.
















| e er | Drawer Number | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
|------|---------------|-------|--------|-------|--------------------|--------|-------|-------|-------|--------|-------|--------|----------|--------|--------|---------|
| raw | Usable Height | 21/4" | 31/16" | 37/8" | 4 ^{5/8} " | 57/16" | 61/4" | 7" | 73/4" | 89/16" | 93/8" | 101/8" | 1015/16" | 113/4" | 121/2" | 135/16" |
| | Drawer Size | | Small | | Medium | | | Large | | | | | | | | |





Same features as above, and in addition:

- Shelves feature a 400 lb. capacity.
- Includes (1) bottom shelf and (1) adjustable shelf.
- Unique die-cast pull handle with a 3-point locking system.











AROUND THE SHOP

BORROUGHS CARRIES A WIDE

range of heavy-duty equipment for your service department and maintenance areas. With over 200 sizes and styles of shop & tech benches available, Borroughs is sure to have a product for your needs.




100 Series Tech Benches




WB100-XXX 48" x 28" WB102-XXX 60" x 28" WB104-XXX 72" x 28"

120 Series Tech Benches




WB120-XXX 48" x 28" WB122-XXX 60" x 28" WB124-XXX 72" x 28"

130 Series Tech Benches




WB130-XXX 48" x 28" **WB132-XXX** 60" x 28" WB134-XXX 72" x 28"

160 Series Tech Benches



WB160-XXX 48" x 28" **WB162-XXX** 60" x 28" WB164-XXX 72" x 28"

170 Series Tech Benches



WB170-XXX 48" x 28" **WB172-XXX** 60" x 28" **WB174-XXX** 72" x 28"

180 Series Tech Benches



WB180-XXX 48" x 28" **WB182-XXX** 60" x 28" **WB184-XXX** 72" x 28"

300 Series Wall Mounted Tech Bench



WMB300-XXX 48" x 28" WMB302-XXX 60" x 28" WMB304-XXX 72" x 28"

For Tech Bench with Stainless Steel Top, add "SS" suffix to part number before "-XXX".

All open leg tech benches feature leg height adjustment from 28" to 36" on 1" centers.



TRANSMISSION TEAR-DOWN BENCH

- Ideal for transmission and engine repair.
- Removable plastic bin is standard.
- Two rigid and two locking casters.
- 48" x 28" top angles to a drain.
- · Adjustable leg height.
- Shown with optional tier drawer.

Description

11106-001-XXX 11106-000-XXX 14865-000-XXX

Part Number

Transmission Tear-Down Bench with Stainless Steel Top Transmission Tear-Down Bench with Painted Steel Top Tier Drawer 15.25" x 20" x 7.25" (can be used with any open leg tech bench)

GET MORE FROM BORROUGHS

BORROUGHS' PROPRIETARY DESIGN SOFTWARE, CONFIGURA®, makes planning and approving designs simple. Configura ties together many factors that are key to a successful project. AutoCAD drawings can be imported into or exported out of Configura. Customers can see how everything comes together before production, viewing updated costs in real-time as designs are created and modified. Incorporating this tool allows Borroughs to design and layout a COMPLETE dealership or repair shop and provide a 3D rendering. This takes the guess work out of a project, giving our customers a more accurate and detailed description prior to their purchase.



18

www.borroughs.com | 1-800-748-0227

BORROUGHS STANDARD POWDER COAT COLORS

Borroughs powder coat finishes are high quality, durable and inert. Borroughs offers 7 standard colors, or 49 different color combinations. We also offer custom color matching, using Borroughs computerized technology. The colors depicted on this publication have been reproduced using a printing process and are only provided as a guide. The actual painted product may vary. All colors are not available on all products.

Please contact your Borroughs Dealer for details.





Borroughs Corporation

3002 N. Burdick Street Kalamazoo, MI 49004 t: 800-748-0227 | f: 269-342-4161 | www.borroughs.com