



WB Manufacturing LLC

www.wibenchmfg.com



2022 IMH Catalog

IMH INDUSTRIAL
MATERIAL HANDLING

BY WB MANUFACTURING

Table of Contents



Bench Tops and Shelving

Hardwood Tops.....5-6

ShopTop®..... 7

Shelving8-9

Laminate Tops10

Laminate Tops (Postformed Edge)..... 11

Laminate Tops (Chem & ESD).....12

Laminate Tops (ESD w/Postformed Edge).....13

Laminate Tops (3mm Edge).....14

Laminate Tops (Chem & ESD w/3mm Edge).....15

Laminate Tops (Lotz Armor Edge™)16

Laminate Tops (Chem & ESD).....17

Laminate Tops (T-Mold Edge) **Discontinued**18

Laminate Tops (Chem & ESD w/ T-Mold Edge) **Discontinued**19

Stainless Steel Tops.....21

Phenolic Tops..... 22

Epoxy Tops..... 23



Locker Benches

Hardwood Locker Bench Seats & Accessories.....24-25

Hardwood Locker Bench Kits/ADA.....26-27

Phenolic Locker Bench Kits.....28

Laminate/Cubbie Benches.....29



Stools..... 30-31

WB Warranty.....32-33

Green Statement.....34

Finishes & Edge Banding35

We Can.
DESIGN. BUILD. DELIVER.

Purchase Order Requirements

We are requesting the following information on every incoming purchase order so that we may speed up our order entry process and avoid delays or misinterpretations on your order.

Purchase Order

Contact Name, Email and Phone Number

- Answers questions regarding purchase order and sending acknowledgments

Ship to Address

Preferred Freight Carrier and Terms

- Indicate collect or 3rd party with bill to address
- WB will select Prepaid & Add Terms and Freight Carrier if preferred is not specified

Ship Date

Quote # (provided by WB Manufacturing on all quotes)

Attach Drawings (if needed)

- DXF file preferred

Dimensions (width x length x thickness)

Detailed Description

- Product Model # and Name
- Edge Type and/or Color
 - 3mm, Lotz Armor Edge™, .5mm" PVC
 - WB Manufacturing will select standard unless otherwise specified
- Leg Type: include two or three digit leg type extension, if noted as such in pricelist
- Specify Core Material and Edge Profile (if applicable)

Standard HPL or TFL Laminate Colors

- Stock laminate colors to include WB in front of name (i.e. WB Grey or Stock)
- Non-stock laminate colors must include:
 - vendor name
 - laminate color name
 - color
 - finish

Quantity Per Line Item

Price Per Line Item

Special Packaging Requirements

Special Services Needed

- Examples: lift gate, inside delivery, etc.

Examples:

BBT9082-T-2BN

30 x 60 x 1.5 Hardwood Butcher Block with 180° Bullnose
2 Long Sides

PLT3082-S-BN-Z09/T

30 x 60 x 1.25 Plastic Laminate Top in WB American Cherry TFL, Bullnose One Long Side

LOB9070-M-ADJ

24 x 54 x 1.75 LOBO Table with Maple Top and Adjustable Legs

SS5000-3660-5AC-FV/T

36 x 60 x 23 Transporter with Honey Maple TFL and matching edge banding

Non-Standard Service Fees

In some cases, extra fees may apply to your order that are not indicated on the individual pricing pages.

Contact your WB Manufacturing Project Manager or Estimating Team for applicable fees:

- One-time Engineering fees may apply (**not applicable for reorder of same product**)
 - custom shapes, drilling top/bottom, etc.
- Orders shipping LTL and order amount totals less than \$750
 - \$150 LTL handling fee applied
- Ground packaging
 - \$75 list will be applied to each item
- Rush/expedited projects **may have fees applied**
 - contact the plant for availability and capacity.
- Products in process or non-stock and custom materials cannot be canceled, customer is responsible for all costs incurred by WB Manufacturing prior to receipt of any change or cancellation.
- Potential fees may apply for design assistance and/or change orders.
- Any special delivery services needed will incur upcharges.
 - Examples: lift gate, inside delivery, etc.

Product Specifications

Specifications are subject to change. Visit www.wibenchmfg.com to find the most current product information and assembly instructions.

Freight Class

Freight classes follow the annually established National Motor Freight Classifications. In some cases, freight classes may change from the date of publication. If you have questions on freight classes, please contact Customer Service at 800.242.2303.

National Motor Freight Classifications for WB Products

WB Products	NMFC	Freight Class	Description
Locker Benches - w/o legs or pedestals	83630	70	Locker Room Bench Tops
ADA & Locker Room Bench Kits	79860	70	Bench Kits
Tops / Countertops / Unattached Back Splash	83620-2	70	Tables / Counter Tops
BBT or Stainless Steel Tops	83640	70	Wood or Steel Tops
Particle Board	24490	60	Particle Board
Shelving Kits & Cabinet Panels	81635	70	Shelving / Panels
Tables Legs and Pedestals	97720	70	Table Hardware & Legs
Knocked Down - Workstations, Conf Tables, Study Carrels	81820-02	70	Table Sets / Knocked Down
Unassembled Stools	80580	Density Based Class*	Stools
Fully Welded Frames - TORO	82790	Density Based Class*	Frames
Disassembled Frames - LOBO	82790	Density Based Class*	Frames
Cabinets & Lockers - Assembled	80440	Density Based Class*	Cabinets
Leg Inserts, Casters, Glides, Book Boxes, Totes	83270	Density Based Class*	Legs & Feet

Density Based Class Chart

Category	Description	Class
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60

*See chart above; Pounds per cubic feet
is calculated in inches: $\text{Weight} / [(L \times W \times H) / 1728]$



*Tops over 36"D are in 2 pieces, field assembled with joint connector bolts(included); lengths are 1/2" undersized.

*Unfinished hardwood tops are not covered under warranty.



Butcher Block Top with Eased Edges

Material: Face-glued hardwood strips

Finish: Catalyzed clear lacquer, 2 coats top, 1 coat bottom, mineral oiled, linseed oiled** or unfinished*

Edge: 0.125" eased edge

Thickness: 1.25", 1.5", 1.75" or 2.25" available. (1.5" and 2.25" call for pricing)

Sizes: Up to 60"D* x 144"L

Options: Face-glued maple or hard maple strips, backsplash

Additional Options	List \$
Maple (-M)	Call estim.
Hard maple (-H)	Call estim.
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" Black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/ (drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Additional coat lacquer (per sq ft)	5
Linseed oil (per sq ft)	10
4" square backsplash (1" thick) (per ln ft)	34
Full packaging	12
Crate packaging	Call estim.
Ground packaging (per item)	75
1.5" & 2.25" thicknesses available	Call estim.

Custom Sizes - Add 15% per top to next larger standard size list price.

Important Information

Lacquer finish Butcher Block tops are not food safe.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton



Hardwood
(eased edge)
(standard)



Maple
(eased edge)
(call for pricing)



Joint connector
hardware for
butcher block tops
over 36"D

12"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9033	12 x 24	500	626
BBT9034	12 x 30	514	629
BBT9035	12 x 36	522	636
BBT9036	12 x 48	536	662
BBT9037	12 x 60	588	776
BBT9038	12 x 72	651	875
BBT9040	12 x 96	831	1217
BBT9041	12 x 120	965	1651
BBT9042	12 x 144	1078	1837
	Lbs/sq ft	5.0	7.0

18"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9053	18 x 24	674	796
BBT9054	18 x 30	676	798
BBT9055	18 x 36	678	800
BBT9056	18 x 48	688	825
BBT9057	18 x 60	783	978
BBT9058	18 x 72	865	1095
BBT9060	18 x 96	1213	1398
BBT9061	18 x 120	1720	2057
BBT9062	18 x 144	1950	2361
	Lbs/sq ft	5.0	7.0

30"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9077	30 x 30	747	912
BBT9078	30 x 36	783	926
BBT9080	30 x 48	1013	721
BBT9082	30 x 60	1238	851
BBT9083	30 x 72	1389	1010
BBT9085	30 x 96	1816	1327
BBT9086	30 x 120	2360	1644
BBT9087	30 x 144	2668	1962
	Lbs/sq ft	5.0	7.0

48"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9107^	48 x 48	1781	1972
BBT9108^	48 x 60	2049	2388
BBT9109^	48 x 72	2372	2684
BBT9111^	48 x 96	3135	3554
BBT9112^	48 x 120	4442	3888
BBT9113^	48 x 144	5019	4660
	Lbs/sq ft	5.0	7.0

^Indicated 2 piece construction with field joint attachment

15"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9043	15 x 24	513	689
BBT9044	15 x 30	537	692
BBT9045	15 x 36	560	695
BBT9046	15 x 48	577	751
BBT9047	15 x 60	638	848
BBT9048	15 x 72	713	964
BBT9050	15 x 96	929	1438
BBT9051	15 x 120	1081	1836
BBT9052	15 x 144	1232	2059
	Lbs/sq ft	5.0	7.0

24"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9065	24 x 24	676	801
BBT9066	24 x 30	679	803
BBT9067	24 x 36	688	806
BBT9069	24 x 48	736	562
BBT9071	24 x 60	895	692
BBT9072	24 x 72	1038	819
BBT9074	24 x 96	1475	1254
BBT9075	24 x 120	2058	2431
BBT9076	24 x 144	2335	2790
	Lbs/sq ft	5.0	7.0

36"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9088	36 x 36	953	1051
BBT9090	36 x 48	1192	866
BBT9092	36 x 60	1389	1010
BBT9093	36 x 72	1645	1200
BBT9095	36 x 96	2156	1581
BBT9096	36 x 120	2809	2293
BBT9097	36 x 144	3348	2739
	Lbs/sq ft	5.0	7.0

60"D Butcher Block Top w/ Eased Edges

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9114^	60 x 60	2663	2516
BBT9115^	60 x 72	3141	3122
BBT9117^	60 x 96	3936	4138
BBT9118^	60 x 120	5001	5070
BBT9119^	60 x 144	5690	5833
	Lbs/sq ft	5.0	7.0

^Indicated 2 piece construction with field joint attachment

Pricing and specifications are subject to change. Please refer to our catalog on the website for the most up-to-date information. Product images are for illustrative purposes only and may differ from the actual product.

wibenchmfg.com

*Tops over 36"D are in 2 pieces, field assembled with joint connector bolts(included); lengths are 1/2" undersized.

*Unfinished hardwood tops are not covered under warranty.



**Bullnose
Front Edge**



3/8"Radius Edge

Butcher Block Top with Radius or Bullnose

Material: Face-glued hardwood strips

Finish: Catalyzed clear lacquer, 2 coats top, 1 coat bottom, mineral oiled, linseed oiled** or unfinished*

Edge: Bullnose or 3/8" radius edge 1 long side, 0.125" radius remaining sides

Thickness: 1.25", 1.5", or 1.75" available (1.5" call for pricing). (2.25" only available on radius edge. Call for pricing)

Sizes: Up to 60"D* x 144"L

Options: Face-glued maple or hard maple strips, backsplash

Additional Options	List \$
Maple (-M)	Call estim.
Hard maple (-H)	Call estim.
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" Black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Bullnose opposite side	60
Additional coat lacquer (per sq ft)	5
Linseed oil (per sq ft)	10
4" square backsplash (1" thick) (per ln ft)	34
Full packaging	12
Crate packaging	Call estim.
Ground packaging (per item)	75
1.5" thicknesses available	Call estim.
2.25" thicknesses only available on radius edge	Call estim.

Custom Sizes - Add 15% per top to next larger standard size list price.

Important Information

Lacquer finish Butcher Block tops are not food safe.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton



Hardwood
(standard)



Maple
(call for pricing)



Joint connector
hardware for
butcher block tops
over 36"D

12"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9033	12 x 24	548	642
BBT9034	12 x 30	551	648
BBT9035	12 x 36	553	651
BBT9036	12 x 48	557	694
BBT9037	12 x 60	644	933
BBT9038	12 x 72	736	1085
BBT9040	12 x 96	1030	1363
BBT9041	12 x 120	1242	1719
BBT9042	12 x 144	1382	1912
	Lbs/sq ft	5.0	7.0

18"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9053	18 x 24	694	814
BBT9054	18 x 30	696	815
BBT9055	18 x 36	697	816
BBT9056	18 x 48	700	878
BBT9057	18 x 60	822	1075
BBT9058	18 x 72	949	1204
BBT9060	18 x 96	1334	1712
BBT9061	18 x 120	1841	2163
BBT9062	18 x 144	2087	2482
	Lbs/sq ft	5.0	7.0

30"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9077	30 x 30	775	921
BBT9078	30 x 36	833	934
BBT9080	30 x 48	1138	889
BBT9082	30 x 60	1297	997
BBT9083	30 x 72	1572	1135
BBT9085	30 x 96	2132	1474
BBT9086	30 x 120	2515	1967
BBT9087	30 x 144	2896	2287
	Lbs/sq ft	5.0	7.0

48"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9107^	48 x 48	1928	2162
BBT9108^	48 x 60	2289	2585
BBT9109^	48 x 72	2653	2906
BBT9111^	48 x 96	3355	3847
BBT9112^	48 x 120	4743	4261
BBT9113^	48 x 144	5360	4873
	Lbs/sq ft	5.0	7.0

^Indicated 2 piece construction with field joint attachment

15"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9043	15 x 24	596	706
BBT9044	15 x 30	599	709
BBT9045	15 x 36	602	713
BBT9046	15 x 48	622	785
BBT9047	15 x 60	789	1020
BBT9048	15 x 72	911	1126
BBT9050	15 x 96	1291	1616
BBT9051	15 x 120	1647	1911
BBT9052	15 x 144	1822	2144
	Lbs/sq ft	5.0	7.0

24"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9065	24 x 24	696	815
BBT9066	24 x 30	698	816
BBT9067	24 x 36	700	819
BBT9069	24 x 48	811	750
BBT9071	24 x 60	1014	860
BBT9072	24 x 72	1194	985
BBT9074	24 x 96	1641	1390
BBT9075	24 x 120	2143	2568
BBT9076	24 x 144	2431	2946
	Lbs/sq ft	5.0	7.0

36"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge


Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9088	36 x 36	1065	1087
BBT9090	36 x 48	1266	1021
BBT9092	36 x 60	1572	1152
BBT9093	36 x 72	1778	1359
BBT9095	36 x 96	2599	1703
BBT9096	36 x 120	3087	2392
BBT9097	36 x 144	3576	3092
	Lbs/sq ft	5.0	7.0

60"D Butcher Block Top w/ (-BN) Bullnose or (-RA) Radius Edge

Model #	Thickness D" x L"	1.25	1.75
		-S	-V
BBT9114^	60 x 60	2927	2758
BBT9115^	60 x 72	3381	3487
BBT9117^	60 x 96	4328	4349
BBT9118^	60 x 120	5340	5425
BBT9119^	60 x 144	6075	6241
	Lbs/sq ft	5.0	7.0

^Indicated 2 piece construction with field joint attachment

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Joint connector hardware on the following tops:
48 x 120 & 144
60 x 96, 120 & 144

ShopTop®

Material: Medium-density fiberboard (MDF) core sandwiched between 0.5" particle board

Finish: Catalyzed clear lacquer, 2 coats top, 1 coat bottom

Edge: 0.375" radius top and bottom front edge, all other edges have a 0.125" radius edge

Thickness: 1.5" or 1.75" available

Sizes: Up to 60"D x 144"L*

Options: Bullnose edge

Additional Options	List \$
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" Black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Bullnose edge (radius edge is standard)	no charge
Radius (opposite side)	Add 12%
Additional coat lacquer (per sq ft)	5
Bulk packaging deduction (per top)	-6
Full packaging	12
Crate packaging	Call estim.
Ground packaging (per item)	75
1.5" & 2.25" thicknesses available	Call estim.

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information

Lacquer finish on ShopTop® are not food safe.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton

24"D ShopTop®

Model #	Thickness D" x L"	1.5	1.75
		-T	-V
CMP1065	24 x 24	285	299
CMP1066	24 x 30	300	324
CMP1067	24 x 36	334	342
CMP1069	24 x 48	346	367
CMP1071	24 x 60	360	376
CMP1072	24 x 72	437	452
CMP1074	24 x 96	661	682
CMP1075	24 x 120	797	831
CMP1076	24 x 144	916	940
	Lbs/sq ft	7.0	7.5

36"D ShopTop®

Model #	Thickness D" x L"	1.5	1.75
		-T	-V
CMP1088	36 x 36	412	428
CMP1090	36 x 48	466	524
CMP1092	36 x 60	513	542
CMP1093	36 x 72	614	682
CMP1095	36 x 96	875	924
CMP1096	36 x 120	1123	1154
CMP1097	36 x 144	1385	1486
	Lbs/sq ft	7.0	7.5

60"D ShopTop®

Model #	Thickness D" x L"	1.5	1.75
		-T	-V
CMP1114	60 x 60	914	948
CMP1115	60 x 72	1107	1137
CMP1117^	60 x 96	1827	1839
CMP1118^	60 x 120	2222	2392
CMP1119^	60 x 144	2514	2718
	Lbs/sq ft	7.0	7.5

^Indicated 2 piece construction with field joint attachment

30"D ShopTop®

Model #	Thickness D" x L"	1.5	1.75
		-T	-V
CMP1077	30 x 30	340	349
CMP1078	30 x 36	359	392
CMP1080	30 x 48	378	413
CMP1082	30 x 60	440	457
CMP1083	30 x 72	484	536
CMP1085	30 x 96	690	727
CMP1086	30 x 120	916	949
CMP1087	30 x 144	1050	1140
	Lbs/sq ft	7.0	7.5

48"D ShopTop®

Model #	Thickness D" x L"	1.5	1.75
		-T	-V
CMP1107	48 x 48	596	644
CMP1108	48 x 60	692	729
CMP1109	48 x 72	779	823
CMP1111	48 x 96	1072	1199
CMP1112^	48 x 120	1803	1851
CMP1113^	48 x 144	2039	2086
	Lbs/sq ft	7.0	7.5

^Indicated 2 piece construction with field joint attachment

Shelving

Shelving Overview Shelf Sizes Available: 12" x 24" to 18" x 72"

Laminate: 1" particle board core with high pressure laminate (HPL) on top and bottom

Edge Type: 3mm PVC

Finish: Standard or custom laminates, or chemical resistant laminate

Phenolic: 1" black phenolic resin with 0.125" radius edge

Safety Rods: 0.25" diameter, 1" tall stainless steel rods, fit in pre-drilled holes, field installed (optional)

Specifications are subject to change.



Laminate w/ Retaining Rods



Phenolic w/ Retaining Rods

1" Shelving



Phenolic w/ Stainless Steel Rods on 3 sides

Model #	Size (D" x L")	Wgt	List \$
EQS8033	12 x 24	16	517
EQS8034	12 x 30	20	588
EQS8035	12 x 36	24	679
EQS8036	12 x 48	31	836
EQS8037	12 x 60	39	998
EQS8038	12 x 72	46	1160
EQS8053	18 x 24	24	672
EQS8054	18 x 30	29	780
EQS8055	18 x 36	35	898
EQS8056	18 x 48	47	1121
EQS8057	18 x 60	58	1343
EQS8058	18 x 72	70	1571



3mm PVC Laminate (T & B) w/ Stainless Steel Rods on 3 sides

Model #	Size (D" x L")	Wgt	List \$
EQS6033	12 x 24	11	347
EQS6034	12 x 30	14	374
EQS6035	12 x 36	16	421
EQS6036	12 x 48	21	476
EQS6037	12 x 60	26	557
EQS6038	12 x 72	31	615
EQS6053	18 x 24	16	398
EQS6054	18 x 30	20	449
EQS6055	18 x 36	24	483
EQS6056	18 x 48	32	578
EQS6057	18 x 60	40	642
EQS6058	18 x 72	47	719



3mm PVC Chemical Resistant (T)/Laminate (B) w/ Stainless Steel Rods on 3 sides

Model #	Size (D" x L")	Wgt	List \$
EQS6033-C	12 x 24	11	376
EQS6034-C	12 x 30	14	411
EQS6035-C	12 x 36	16	464
EQS6036-C	12 x 48	21	544
EQS6037-C	12 x 60	26	624
EQS6038-C	12 x 72	31	709
EQS6053-C	18 x 24	16	452
EQS6054-C	18 x 30	20	501
EQS6055-C	18 x 36	24	564
EQS6056-C	18 x 48	32	673
EQS6057-C	18 x 60	40	772
EQS6058-C	18 x 72	47	881

Additional Options List \$

Ground packaging/handling (per item)	75
custom sizes	call estim.

Shipping Details

Class:	70
NMFC#:	81635
Ground:	Yes, with limitations
Package:	Carton

Important Information

- *All tops over 60" must have extra support in addition to the brackets by adding additional brackets and/or a re-enforcement bar to prevent bowing.
- Additional chemical resistant laminates available in various colors with possible up charges. Contact Estimating Dept. for pricing.
- Custom Sizes - call estimating.

Shelving Brackets and Standards



Locker Bench Wall Mount Brackets

Black (-B)	Almond (-A)	Grey (-G)	White (-W)	Wgt	Description	Black List \$	Almond List \$	Grey List \$	White List \$
BKT0508-B	BKT0508-A	BKT0508-G	BKT0508-W	2	9.5" and 12" Deep Shelf (Pair)	89	89	89	89
BKT0812-B	BKT0812-A	BKT0812-G	BKT0812-W	4	15" Deep Shelf (Pair)	116	116	116	116
BKT1218-B	BKT1218-A	BKT1218-G	BKT1218-W	6	20" Deep Shelf (Pair)	143	143	143	143
BKT1521-B	BKT1521-A	BKT1521-G	BKT1521-W	8	18" and 24" Deep Shelf (Pair)	186	186	186	186
BKT1824-B	BKT1824-A	BKT1824-G	BKT1824-W	10	20" - 28" Countertop Depths (Pair)	193	193	193	193
BKT2429-B	BKT2429-A	BKT2429-G	BKT2429-W	18	26" - 32" Countertop Depths (Pair)	296	296	296	296



12"D Bracket

SKU #	Wgt	Qty	List \$
WSKV18012	0.3	1	34



18"D Bracket

SKU #	Wgt	Qty	List \$
WSKV18018	0.5	1	49



12"D HD Bracket

SKU #	Wgt	Qty	List \$
WSKV18512	0.5	1	75



18"D HD Bracket

SKU #	Wgt	Qty	List \$
WSKV18518	1	1	85



48"H Wall Standard

SKU #	Wgt	Qty	List \$
WSKV8048	1	1	50



60"H Wall Standard

SKU #	Wgt	Qty	List \$
WSKV8060	1	1	61



72"H Wall Standard

SKU #	Wgt	Qty	List \$
WSKV8072	2	1	70



84"H Wall Standard

SKU #	Wgt	Qty	List \$
WSKV8084	2	1	79



48"H HD Wall Standard

SKU #	Wgt	Qty	List \$
WSKV8548	2	1	80



60"H HD Wall Standard

SKU #	Wgt	Qty	List \$
WSKV8560	4	1	82



72"H HD Wall Standard

SKU #	Wgt	Qty	List \$
WSKV8572	8	1	108



84"H HD Wall Standard


SKU #	Wgt	Qty	List \$
WSKV8584	10	1	123

It is recommended to add a third bracket for every 3' of running shelving. Consult with a building or plant engineer for proper installation of all shelving. Not all parts are for all product lines. Contact Customer Service for your specific needs.

Pricing and specifications are subject to change. Please refer to our catalog on the website for the most up-to-date information. Product images are for illustrative purposes only and may differ from the actual product.

wibenchmfg.com

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Plastic Laminate Tops w/ .5mm PVC Edge

- Material:** Particle board core with high pressure laminate (HPL) on top, phenolic backer (0.75" and 1.25") or resin backer (1.625" and 1.75")
- Finish:** Standard or custom laminates
- Edge:** .5mm PVC edge banding (square edge on all four sides).
- Thickness:** 0.75" ,1.25", 1.625", or 1.75" available
- Sizes:** Up to 60"D x 144"L*
- Options:** Bullnose edge

Additional Options	List \$
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Markerboard Top	Call estim.
Notch 6" or less	29
Notch over 6"	60
Sink Cutout	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Postformed one side, 54" max. depth (-BN) (-MD)	See pg. 11
Postformed opposite sides, 54" max. depth (-2BN) (-2MD)	See pg. 11
Laminate backer substitution (per sq ft)	5
4" square self-edge backsplash (1" thick) (per ln ft)	42
4" square PVC edge backsplash (1" thick) (per ln ft)	34
Bulk packaging deduction (per top)	-6
Full packaging	12
Crate Packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details	
Class#:	70
NMFC#:	83620-2
Ground:	Yes, with limitations
Package:	Carton



Joint connector hardware on the following tops:
48 x 120 & 144
60 x 96, 120 & 144

12"D Laminate Tops

Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3033	12 x 24	171	176	193	210
PLT3034	12 x 30	196	203	213	236
PLT3035	12 x 36	202	209	231	255
PLT3036	12 x 48	211	221	257	276
PLT3037	12 x 60	224	235	290	314
PLT3038	12 x 72	246	260	319	349
PLT3040	12 x 96	300	321	369	417
PLT3041	12 x 120	345	381	453	532
PLT3042	12 x 144	379	432	525	588
	Lbs/sq ft	3.5	5.0	7.0	7.2

18"D Laminate Tops

Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3053	18 x 24	188	196	215	240
PLT3054	18 x 30	208	228	250	268
PLT3055	18 x 36	216	237	264	297
PLT3056	18 x 48	231	256	312	340
PLT3057	18 x 60	257	283	340	382
PLT3058	18 x 72	284	319	379	429
PLT3060	18 x 96	357	398	477	533
PLT3061	18 x 120	423	465	591	665
PLT3062	18 x 144	468	547	664	795
	Lbs/sq ft	3.5	5.0	7.0	7.2

30"D Laminate Tops

Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3077	30 x 30	253	280	324	362
PLT3078	30 x 36	276	305	354	379
PLT3080	30 x 48	314	347	420	493
PLT3082	30 x 60	331	373	496	524
PLT3083	30 x 72	374	411	550	619
PLT3085	30 x 96	507	563	669	820
PLT3086	30 x 120	628	748	964	1148
PLT3087	30 x 144	749	847	1149	1317
	Lbs/sq ft	3.5	5.0	7.0	7.2

48"D Laminate Tops

Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3107	48 x 48	427	497	628	706
PLT3108	48 x 60	503	559	715	859
PLT3109	48 x 72	562	652	859	977
PLT3111	48 x 96	701	839	1058	1281
PLT3112^	48 x 120	1380	1585	2158	2416
PLT3113^	48 x 144	1534	1777	2432	2739
	Lbs/sq ft	3.5	5.0	7.0	7.2

^Indicated 2 piece construction with field joint attachment

15"D Laminate Tops

Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3043	15 x 24	175	190	207	221
PLT3044	15 x 30	203	210	234	256
PLT3045	15 x 36	209	218	252	270
PLT3046	15 x 48	221	232	285	309
PLT3047	15 x 60	236	250	320	350
PLT3048	15 x 72	261	287	346	388
PLT3050	15 x 96	328	362	420	467
PLT3051	15 x 120	381	434	527	590
PLT3052	15 x 144	432	475	604	680
	Lbs/sq ft	3.5	5.0	7.0	7.2

24"D Laminate Tops

Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3065	24 x 24	199	225	251	277
PLT3066	24 x 30	231	250	293	323
PLT3067	24 x 36	241	256	311	339
PLT3069	24 x 48	261	289	374	390
PLT3071	24 x 60	292	348	421	468
PLT3072	24 x 72	330	406	491	519
PLT3074	24 x 96	432	475	604	680
PLT3075	24 x 120	559	622	841	955
PLT3076	24 x 144	625	741	954	1136
	Lbs/sq ft	3.5	5.0	7.0	7.2

36"D Laminate Tops


Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3088	36 x 36	309	332	406	447
PLT3090	36 x 48	351	391	492	548
PLT3092	36 x 60	365	454	554	643
PLT3093	36 x 72	408	524	632	756
PLT3095	36 x 96	559	650	809	925
PLT3096	36 x 120	760	856	1156	1323
PLT3097	36 x 144	842	959	1307	1569
	Lbs/sq ft	3.5	5.0	7.0	7.2

60"D Laminate Tops

Model #	Thickness	0.75	1.25	1.625	1.75
	D" x L"	-L	-S	-U	-V
PLT3114	60 x 60	713	801	1113	1270
PLT3115	60 x 72	804	948	1272	1457
PLT3117^	60 x 96	1369	1574	2024	2393
PLT3118^	60 x 120	1606	1790	2459	2768
PLT3119^	60 x 144	1802	2023	2792	3161
	Lbs/sq ft	3.5	5.0	7.0	7.2

^Indicated 2 piece construction with field joint attachment

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Bullnose Edge

-BN

Modern Edge
(only 1.625")

-MD

Plastic Laminate Tops w/ Postformed Edge and .5mm PVC Edges

Material: Particle board core with high pressure laminate (HPL) on top, phenolic backer (0.75" and 1.25") or resin backer (1.625")

Finish: Standard or custom laminates

Edge: (-MD) 90° Modern edge(only 1.625") or (-BN) Bullnose edge, other edges are .5mm PVC edges

Thickness: 1.25" or 1.625" available

Sizes: Up to 48"D x 144"L*

Additional Options	List \$
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Sink Cutout	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Postformed opposite sides, 54" max. depth (-2BN) (-2MD)	Add 25%
Laminate backer substitution (per sq ft)	5
4" square PVC edge backsplash (1" thick) (per ln ft)	34
Bulk packaging deduction (per top)	-6
Full packaging	12
Crate Packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

12"D Laminate Tops

	Thickness	1.25	1.625
Model #	D" x L"	-S	-U
PLT3033	12 x 24	296	300
PLT3034	12 x 30	324	328
PLT3035	12 x 36	330	335
PLT3036	12 x 48	369	375
PLT3037	12 x 60	406	413
PLT3038	12 x 72	421	429
PLT3040	12 x 96	516	529
PLT3041	12 x 120	565	650
PLT3042	12 x 144	615	691
	Lbs/sq ft	5.0	7.0

18"D Laminate Tops

	Thickness	1.25	1.625
Model #	D" x L"	-S	-U
PLT3053	18 x 24	310	315
PLT3054	18 x 30	341	346
PLT3055	18 x 36	351	357
PLT3056	18 x 48	420	428
PLT3057	18 x 60	442	452
PLT3058	18 x 72	497	508
PLT3060	18 x 96	608	625
PLT3061	18 x 120	687	793
PLT3062	18 x 144	749	867
	Lbs/sq ft	5.0	7.0

30"D Laminate Tops

	Thickness	1.25	1.625
Model #	D" x L"	-S	-U
PLT3077	30 x 30	390	397
PLT3078	30 x 36	404	446
PLT3080	30 x 48	449	514
PLT3082	30 x 60	508	554
PLT3083	30 x 72	599	616
PLT3085	30 x 96	930	961
PLT3086	30 x 120	1048	1277
PLT3087	30 x 144	1218	1421
	Lbs/sq ft	5.0	7.0

48"D Laminate Tops

	Thickness	1.25	1.625
Model #	D" x L"	-S	-U
PLT3107	48 x 48	849	884
PLT3108	48 x 60	876	878
PLT3109	48 x 72	909	911
PLT3111	48 x 96	1039	1183
PLT3112^	48 x 120	2015	2382
PLT3113^	48 x 144	2215	2624
	Lbs/sq ft	5.0	7.0

^Indicated 2 piece construction with field joint attachment

15"D Laminate Tops


	Thickness	1.25	1.625
Model #	D" x L"	-S	-U
PLT3043	15 x 24	301	307
PLT3044	15 x 30	331	335
PLT3045	15 x 36	339	344
PLT3046	15 x 48	401	409
PLT3047	15 x 60	422	430
PLT3048	15 x 72	461	471
PLT3050	15 x 96	553	580
PLT3051	15 x 120	616	693
PLT3052	15 x 144	660	744
	Lbs/sq ft	5.0	7.0

24"D Laminate Tops

	Thickness	1.25	1.625
Model #	D" x L"	-S	-U
PLT3065	24 x 24	337	343
PLT3066	24 x 30	372	379
PLT3067	24 x 36	386	394
PLT3069	24 x 48	413	422
PLT3071	24 x 60	451	463
PLT3072	24 x 72	508	521
PLT3074	24 x 96	668	753
PLT3075	24 x 120	943	974
PLT3076	24 x 144	1049	1086
	Lbs/sq ft	5.0	7.0

36"D Laminate Tops

	Thickness	1.25	1.625
Model #	D" x L"	-S	-U
PLT3088	36 x 36	447	458
PLT3090	36 x 48	516	530
PLT3092	36 x 60	560	632
PLT3093	36 x 72	660	680
PLT3095	36 x 96	891	979
PLT3096	36 x 120	1286	1297
PLT3097	36 x 144	1420	1628
	Lbs/sq ft	5.0	7.0



Joint connector hardware on the following tops:
48 x 120 & 144

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
 *All ESD tops over 72" are recommended to have two grounding bolt kits.
 *Grounding bolts for ESD tops must be factory installed to ensure proper function.



Chemical Resistant or Electro Static Dissipative Tops+ w/ .5mm PVC Edge

Material: Particle board core, ESD (in White, Almond, Grey) or chemical resistant laminate top, phenolic backer (1.25") or resin backer (1.625" and 1.75")

Finish: Standard or custom laminates

Edge: .5mm PVC edge banding (square edge on all four sides).

Thickness: 1.25", 1.625", or 1.75" available

Sizes: Up to 60"D x 144"L*

Options: Additional Options	List \$
0.875" grounding bolt kit w/6" 1 ohm wire+ (per location)	77
Grounding bolt kit installation (per location)	34
Grounding cord kit w/15' ground cord and snap+ (per location)	64
Grounding cord kit installation (per location)	34
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/ (drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Sink Cutout (n/a on ESD)	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Laminate backer substitution (per sq ft)	5
ESD/Chem. Rest. laminate backer substitution (per sq ft)	17
4" square backsplash (1" thick) (per ln ft) (ESD, PVC edge)	55
Bulk packaging deduction (per top)	-6
Full packaging	12
Crate packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

12"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3033	12 x 24	195	226	235
ESD3034	12 x 30	227	249	273
ESD3035	12 x 36	238	276	288
ESD3036	12 x 48	260	287	317
ESD3037	12 x 60	289	314	349
ESD3038	12 x 72	330	358	379
ESD3040	12 x 96	426	482	513
ESD3041	12 x 120	561	612	655
ESD3042	12 x 144	660	723	775
	Lbs/sq ft	5.0	7.0	7.2

18"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3053	18 x 24	233	263	279
ESD3054	18 x 30	273	307	327
ESD3055	18 x 36	291	314	330
ESD3056	18 x 48	326	368	390
ESD3057	18 x 60	380	408	441
ESD3058	18 x 72	420	460	491
ESD3060	18 x 96	573	627	673
ESD3061	18 x 120	741	810	874
ESD3062	18 x 144	844	967	1046
	Lbs/sq ft	5.0	7.0	7.2

30"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3077	30 x 30	366	376	404
ESD3078	30 x 36	403	413	439
ESD3080	30 x 48	461	488	515
ESD3082	30 x 60	533	549	590
ESD3083	30 x 72	620	680	734
ESD3085	30 x 96	942	973	1055
ESD3086	30 x 120	1110	1260	1383
ESD3087	30 x 144	1345	1459	1605
	Lbs/sq ft	5.0	7.0	7.2

48"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3107	48 x 48	719	784	846
ESD3108	48 x 60	836	861	933
ESD3109	48 x 72	1017	1049	1138
ESD3111	48 x 96	1418	1465	1596
ESD3112^	48 x 120	2016	2075	2238
ESD3113^	48 x 144	2563	2640	2856
	Lbs/sq ft	5.0	7.0	7.2

^Indicated 2 piece construction with field joint attachment

***For Chemical Resistant Laminate Tops, replace ESD with CHM in Model #.**

Important Information

- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.
- Additional chemical resistant laminates available in various color with possible up charges. Contact Estimating for pricing.

15"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3043	15 x 24	209	238	260
ESD3044	15 x 30	245	278	291
ESD3045	15 x 36	258	295	323
ESD3046	15 x 48	286	327	344
ESD3047	15 x 60	335	362	384
ESD3048	15 x 72	384	413	440
ESD3050	15 x 96	499	547	606
ESD3051	15 x 120	671	733	788
ESD3052	15 x 144	752	823	888
	Lbs/sq ft	5.0	7.0	7.2

24"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3065	24 x 24	269	294	320
ESD3066	24 x 30	317	346	377
ESD3067	24 x 36	325	367	388
ESD3069	24 x 48	392	441	470
ESD3071	24 x 60	462	498	508
ESD3072	24 x 72	562	578	622
ESD3074	24 x 96	724	747	853
ESD3075	24 x 120	1041	1076	1177
ESD3076	24 x 144	1198	1237	1356
	Lbs/sq ft	5.0	7.0	7.2

36"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3088	36 x 36	493	505	560
ESD3090	36 x 48	564	581	639
ESD3092	36 x 60	664	684	737
ESD3093	36 x 72	773	797	863
ESD3095	36 x 96	1076	1110	1206
ESD3096	36 x 120	1293	1468	1614
ESD3097	36 x 144	1724	1782	1946
	Lbs/sq ft	5.0	7.0	7.2

60"D CHM/ESD Tops

	Thickness	1.25	1.625	1.75
Model #	D" x L"	-S	-U	-V
ESD3114	60 x 60	1101	1136	1235
ESD3115	60 x 72	1333	1376	1499
ESD3117^	60 x 96	2007	2292	2471
ESD3118^	60 x 120	2612	2691	2913
ESD3119^	60 x 144	3013	3107	3373
	Lbs/sq ft	5.0	7.0	7.2

^Indicated 2 piece construction with field joint attachment



*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
 *All ESD tops over 72" are recommended to have two grounding bolt kits.
 *Grounding bolts for ESD tops must be factory installed to ensure proper function.



Electro Static Dissipative Tops* w/ Postformed Edge and .5mm PVC Edges

Material: Particle board core, ESD (in Almond, White or Grey) top, phenolic backer (1.25") or resin backer (1.625")

Finish: Standard or custom laminates

Edge: (-MD) 90° Modern edge(only 1.625") or (-BN) Bullnose edge, other edges are .5mm PVC edges

Thickness: 1.25" or 1.625" available

Sizes: Up to 48"D x 144"L*

Additional Options	List \$
0.875" grounding bolt kit w/6" 1 ohm wire+ (per location)	77
Grounding bolt kit installation (per location)	34
Grounding cord kit w/15' ground cord and snap+ (per location)	64
Grounding cord kit installation (per location)	34
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Laminate backer substitution (per sq ft)	5
ESD laminate backer substitution (per sq ft)	17
Postformed opposite sides, 54" max. depth (-2BN, -2MD)	Add 25%
4" square ESD backsplash (1" thick) (per ln ft) (PVC edge)	55
Bulk packaging deduction (per top)	-6
Full packaging	12
Crate packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

12"D ESD Laminate Tops

Model #	D" x L"	Thickness	
		1.25	1.625
		-S	-U
ESD3033	12 x 24	336	340
ESD3034	12 x 30	372	376
ESD3035	12 x 36	387	389
ESD3036	12 x 48	393	398
ESD3037	12 x 60	422	426
ESD3038	12 x 72	468	475
ESD3040	12 x 96	591	602
ESD3041	12 x 120	742	757
ESD3042	12 x 144	840	857
	Lbs/sq ft	5.0	7.0

18"D ESD Laminate Tops

Model #	D" x L"	Thickness	
		1.25	1.625
		-S	-U
ESD3053	18 x 24	376	380
ESD3054	18 x 30	419	426
ESD3055	18 x 36	410	436
ESD3056	18 x 48	471	479
ESD3057	18 x 60	526	535
ESD3058	18 x 72	571	583
ESD3060	18 x 96	743	758
ESD3061	18 x 120	1001	1023
ESD3062	18 x 144	1123	1148
	Lbs/sq ft	5.0	7.0

30"D ESD Laminate Tops

Model #	D" x L"	Thickness	
		1.25	1.625
		-S	-U
ESD3077	30 x 30	504	512
ESD3078	30 x 36	537	547
ESD3080	30 x 48	644	646
ESD3082	30 x 60	675	689
ESD3083	30 x 72	747	764
ESD3085	30 x 96	1015	1039
ESD3086	30 x 120	1304	1336
ESD3087	30 x 144	1559	1599
	Lbs/sq ft	5.0	7.0

48"D ESD Laminate Tops

Model #	D" x L"	Thickness	
		1.25	1.625
		-S	-U
ESD3107	48 x 48	829	846
ESD3108	48 x 60	961	983
ESD3109	48 x 72	1097	1113
ESD3111	48 x 96	1595	1634
ESD3112^	48 x 120	2412	2464
ESD3113^	48 x 144	2831	2897
	Lbs/sq ft	5.0	7.0

^Indicated 2 piece construction with field joint attachment

15"D ESD Laminate Tops


Model #	D" x L"	Thickness	
		1.25	1.625
		-S	-U
ESD3043	15 x 24	356	361
ESD3044	15 x 30	379	390
ESD3045	15 x 36	398	407
ESD3046	15 x 48	414	420
ESD3047	15 x 60	468	476
ESD3048	15 x 72	514	523
ESD3050	15 x 96	647	660
ESD3051	15 x 120	841	859
ESD3052	15 x 144	927	947
	Lbs/sq ft	5.0	7.0

24"D ESD Laminate Tops

Model #	D" x L"	Thickness	
		1.25	1.625
		-S	-U
ESD3065	24 x 24	398	426
ESD3066	24 x 30	448	456
ESD3067	24 x 36	464	471
ESD3069	24 x 48	529	539
ESD3071	24 x 60	585	627
ESD3072	24 x 72	675	688
ESD3074	24 x 96	872	891
ESD3075	24 x 120	1153	1179
ESD3076	24 x 144	1304	1335
	Lbs/sq ft	5.0	7.0

36"D ESD Laminate Tops

Model #	D" x L"	Thickness	
		1.25	1.625
		-S	-U
ESD3088	36 x 36	632	644
ESD3090	36 x 48	694	708
ESD3092	36 x 60	783	800
ESD3093	36 x 72	924	944
ESD3095	36 x 96	1231	1259
ESD3096	36 x 120	1657	1696
ESD3097	36 x 144	1886	1931
	Lbs/sq ft	5.0	7.0




Joint connector hardware on the following tops:
 48 x 120 & 144

Important Information

- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Laminate Tops w/ 3mm Edge

Material: Particle board core with high pressure laminate (HPL) on top, phenolic backer

Finish: Standard or custom laminates

Edge: 3mm PVC edge banding, square or 1.5" radius corners

Thickness: 0.75" or 1.25" available

Sizes: Up to 60"D x 144"L*

Options: Bullnose edge -BN (only 1.25")

Additional Options	List \$
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Sink Cutout	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Postformed one side, 54" max. depth (-BN only 1.25")	Add 50%
Postformed opposite sides, 54" max. depth (see Important Information on how to price out.)	
Markerboard Top	Call estim.
Laminate backer substitution (per sq ft)	5
4" square backsplash (1" thick) (per ln ft) (3mm)	42
Bulk packaging deduction (per top)	-6
Full packaging	12
Crate Packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton

12"D Laminate Tops

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
3MM6033	12 x 24	182	188	182	183
3MM6034	12 x 30	209	217	210	211
3MM6035	12 x 36	216	226	216	218
3MM6036	12 x 48	229	242	229	235
3MM6037	12 x 60	244	271	245	252
3MM6038	12 x 72	269	297	259	279
3MM6040	12 x 96	381	386	347	363
3MM6041	12 x 120	452	503	462	488
3MM6042	12 x 144	502	550	502	567
	Lbs/sq ft	3.5	5.0	3.5	5.0

18"D Laminate Tops

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
3MM6053	18 x 24	192	210	200	211
3MM6054	18 x 30	224	244	224	237
3MM6055	18 x 36	241	263	241	248
3MM6056	18 x 48	260	286	250	269
3MM6057	18 x 60	288	322	279	301
3MM6058	18 x 72	322	350	310	327
3MM6060	18 x 96	460	469	400	438
3MM6061	18 x 120	524	614	556	597
3MM6062	18 x 144	618	688	619	694
	Lbs/sq ft	3.5	5.0	3.5	5.0

30"D Laminate Tops

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
3MM6077	30 x 30	312	345	271	292
3MM6078	30 x 36	339	366	284	308
3MM6080	30 x 48	327	355	303	331
3MM6082	30 x 60	375	421	343	381
3MM6083	30 x 72	420	479	376	419
3MM6085	30 x 96	528	590	529	587
3MM6086	30 x 120	727	840	728	796
3MM6087	30 x 144	821	955	841	927
	Lbs/sq ft	3.5	5.0	3.5	5.0

48"D Laminate Tops

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
3MM6107	48 x 48	448	514	465	499
3MM6108	48 x 60	518	593	530	575
3MM6109	48 x 72	593	666	593	678
3MM6111	48 x 96	844	981	864	977
3MM6112^	48 x 120	1353	1496	1357	1512
3MM6113^	48 x 144	1506	1743	1569	1696
	Lbs/sq ft	3.5	5.0	3.5	5.0

^Indicated 2 piece construction with field joint attachment

15"D Laminate Tops

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
3MM6043	15 x 24	187	202	187	197
3MM6044	15 x 30	216	226	216	228
3MM6045	15 x 36	224	245	224	238
3MM6046	15 x 48	239	264	239	256
3MM6047	15 x 60	267	295	268	278
3MM6048	15 x 72	295	330	285	308
3MM6050	15 x 96	413	438	377	397
3MM6051	15 x 120	497	544	497	561
3MM6052	15 x 144	543	636	575	617
	Lbs/sq ft	3.5	5.0	3.5	5.0

24"D Laminate Tops

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
3MM6065	24 x 24	212	231	219	225
3MM6066	24 x 30	245	269	246	262
3MM6067	24 x 36	266	284	267	287
3MM6069	24 x 48	290	326	271	304
3MM6071	24 x 60	329	357	306	334
3MM6072	24 x 72	357	420	344	365
3MM6074	24 x 96	461	529	461	527
3MM6075	24 x 120	628	729	628	708
3MM6076	24 x 144	704	823	732	799
	Lbs/sq ft	3.5	5.0	3.5	5.0

36"D Laminate Tops

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
3MM6088	36 x 36	378	407	336	360
3MM6090	36 x 48	402	452	383	419
3MM6092	36 x 60	413	465	435	484
3MM6093	36 x 72	457	525	490	530
3MM6095	36 x 96	671	784	703	768
3MM6096	36 x 120	824	955	844	927
3MM6097	36 x 144	916	1099	964	1067
	Lbs/sq ft	3.5	5.0	3.5	5.0

60"D Laminate Tops

	Thickness	0.75	1.25
Model #	D" x L"	-L	-S
3MM6114	60 x 60	706	795
3MM6115	60 x 72	793	921
3MM6117^	60 x 96	1305	1481
3MM6118^	60 x 120	1506	1750
3MM6119^	60 x 144	1755	1977
	Lbs/sq ft	3.5	5.0


^Indicated 2 piece construction with field joint attachment



Important Information

- When requesting second long side with postformed edge(3mm tops), pricing is calculated by first adding 50% of original list price, then adding 25% to the new list price.

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
 *All ESD tops over 72" are recommended to have two grounding bolt kits.
 *Grounding bolts for ESD tops must be factory installed to ensure proper function.



Chemical Resistant Laminate or Electro Static Dissipative Tops* w/3mm Edge

Material:	Particle board core with black chemical resistant laminate on top or ESD top (in White, Almond, or Grey)	
Finish:	Standard or custom laminates	
Edge:	3mm PVC edge banding, square or 1.5" radius corners	
Thickness:	0.75" or 1.25" available	
Sizes:	Up to 60"D x 144"L*	
Additional Options		List \$
0.875" grounding bolt kit w/6" 1 ohm wire+ (per location)		77
Grounding bolt kit installation (per location)		34
Grounding cord kit w/10' ground cord and snap+ (per location)		64
Grounding cord kit installation (per location)		34
1 grommet hole		29
Additional grommet holes (same top)		11
2.375" black grommet cover		13
Drilling (1-16 holes)		52
Drilling (17+)		73
Inserts installed (each)/(drilling not included)		5
Mitre joint or field joint		60
Additional field joint (same top)		30
Notch 6" or less		29
Notch over 6"		60
Sink Cutout (n/a on ESD)		60
Angle cut (first cut)		60
Additional angle cut (same top)		30
Postformed one side, 54" max. depth (-BN only 1.25") (N/A on chem. rest. or -MD tops)	Add 50%	
Postformed opposite sides, 54" max. depth (see Important Information on how to price out.)		
Markerboard Top	Call estim.	
Laminate backer substitution (per sq ft)	5	
ESD laminate backer substitution (per sq ft)	17	
4" chemical resistant 3mm backsplash	46	
4" square backsplash (1" thick) (per ln ft) (3mm)	42	
Bulk packaging deduction (per top)	-6	
Full packaging	12	
Crate Packaging	Call estim.	
Ground packaging (per item)	75	

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class:	70
NMFC#:	83620-2
Ground:	Yes, with limitations
Package:	Carton

12"D CHM/ESD Tops*

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
ESD6033	12 x 24	202	208	202	208
ESD6034	12 x 30	235	243	235	243
ESD6035	12 x 36	246	256	246	256
ESD6036	12 x 48	270	282	270	283
ESD6037	12 x 60	296	323	296	311
ESD6038	12 x 72	333	363	320	351
ESD6040	12 x 96	472	488	445	472
ESD6041	12 x 120	594	648	607	648
ESD6042	12 x 144	676	724	676	768
	Lbs/sq ft	3.5	5.0	3.5	5.0

18"D CHM/ESD Tops*

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
ESD6053	18 x 24	224	241	233	249
ESD6054	18 x 30	261	283	261	283
ESD6055	18 x 36	289	312	289	302
ESD6056	18 x 48	323	352	311	341
ESD6057	18 x 60	370	408	358	392
ESD6058	18 x 72	426	452	410	435
ESD6060	18 x 96	572	627	548	604
ESD6061	18 x 120	742	845	787	845
ESD6062	18 x 144	896	965	896	1002
	Lbs/sq ft	3.5	5.0	3.5	5.0

30"D CHM/ESD Tops*

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
ESD6077	30 x 30	392	427	339	372
ESD6078	30 x 36	439	464	366	403
ESD6080	30 x 48	441	470	410	451
ESD6082	30 x 60	525	574	480	535
ESD6083	30 x 72	604	669	540	603
ESD6085	30 x 96	793	854	793	875
ESD6086	30 x 120	1127	1249	1128	1220
ESD6087	30 x 144	1302	1446	1334	1447
	Lbs/sq ft	3.5	5.0	3.5	5.0

48"D CHM/ESD Tops*

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
ESD6107	48 x 48	652	725	676	725
ESD6108	48 x 60	782	863	801	863
ESD6109	48 x 72	918	991	918	1039
ESD6111	48 x 96	1356	1505	1389	1544
ESD6112^	48 x 120	2009	2154	2012	2243
ESD6113^	48 x 144	2297	2568	2391	2572
	Lbs/sq ft	3.5	5.0	3.5	5.0

^Indicated 2 piece construction with field joint attachment

15"D CHM/ESD Tops*

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
ESD6043	15 x 24	213	229	213	229
ESD6044	15 x 30	248	258	248	268
ESD6045	15 x 36	262	285	262	284
ESD6046	15 x 48	291	317	291	317
ESD6047	15 x 60	334	364	335	352
ESD6048	15 x 72	377	415	365	400
ESD6050	15 x 96	548	570	499	532
ESD6051	15 x 120	677	726	678	770
ESD6052	15 x 144	760	867	807	866
	Lbs/sq ft	3.5	5.0	3.5	5.0

24"D CHM/ESD Tops*

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
ESD6065	24 x 24	254	276	263	276
ESD6066	24 x 30	299	323	300	323
ESD6067	24 x 36	332	350	332	364
ESD6069	24 x 48	379	417	353	401
ESD6071	24 x 60	443	472	413	453
ESD6072	24 x 72	495	568	476	508
ESD6074	24 x 96	664	740	664	759
ESD6075	24 x 120	936	1048	936	1048
ESD6076	24 x 144	1074	1207	1116	1207
	Lbs/sq ft	3.5	5.0	3.5	5.0

36"D CHM/ESD Tops*

	Thickness	0.75	1.25	0.75	1.25
Model #	D" x L"	-L	-S	-LR	-SR
ESD6088	36 x 36	499	528	445	481
ESD6090	36 x 48	582	629	531	584
ESD6092	36 x 60	594	650	626	697
ESD6093	36 x 72	679	754	728	783
ESD6095	36 x 96	1041	1168	1088	1175
ESD6096	36 x 120	1304	1446	1336	1447
ESD6097	36 x 144	1493	1704	1569	1705
	Lbs/sq ft	3.5	5.0	3.5	5.0

60"D CHM/ESD Tops*

	Thickness	0.75	1.25
Model #	D" x L"	-L	-S
ESD6114	60 x 60	1106	1194
ESD6115	60 x 72	1273	1413
ESD6117^	60 x 96	1943	2139
ESD6118^	60 x 120	2332	2609
ESD6119^	60 x 144	2790	3012
	Lbs/sq ft	3.5	5.0

^Indicated 2 piece construction with field joint attachment



***For Chemical Resistant Laminate Tops, replace ESD with CHM in Model #.**

Important Information

- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.
- Additional chemical resistant laminates available in various colors with possible up charges. Contact Estimating Dept. for pricing.
- When requesting second long side with postformed edge(3mm tops), pricing is calculated by first adding 50% of original list price, then adding 25% to the new list price.

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Radius Edge
Standard

-RA

Beveled Edge
Optional

-BV



Lotz Armor Edge™

Laminate Tops w/Lotz Armor Edge™

Material: MDF core with high pressure laminate (HPL) on top, phenolic backer

Finish: Standard or custom laminates

Edge: Black Lotz Armor Edge™ (additional colors available), radius or beveled edge, both w/1.5" radius corners

Thickness: 0.75" or 1.25" available

Sizes: Up to 60"D x 144"L*

Additional Options	List \$
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Sink Cutout	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Laminate backer substitution (per sq ft)	5
Carton/box packaging	27
Full packaging (added to carton packaging price)	12
Crate Packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton



Joint connector hardware on the following tops:
 48 x 120 & 144
 60 x 96, 120 & 144

24"D Laminate Tops

Model #	D" x L"	Thickness	0.75	1.25
			-L	-S
AET7065	24 x 24		211	240
AET7066	24 x 30		228	262
AET7067	24 x 36		248	283
AET7069	24 x 48		337	386
AET7071	24 x 60		372	430
AET7072	24 x 72		412	479
AET7074	24 x 96		496	583
AET7075	24 x 120		648	770
AET7076	24 x 144		731	872
	Lbs/sq ft		4.0	5.3

36"D Laminate Tops

Model #	D" x L"	Thickness	0.75	1.25
			-L	-S
AET7088	36 x 36		351	387
AET7090	36 x 48		406	471
AET7092	36 x 60		454	533
AET7093	36 x 72		517	611
AET7095	36 x 96		644	768
AET7096	36 x 120		783	941
AET7097	36 x 144		892	1079
	Lbs/sq ft		4.0	5.3

60"D Laminate Tops

Model #	D" x L"	Thickness	0.75	1.25
			-L	-S
AET7114	60 x 60		651	778
AET7115	60 x 72		768	882
AET7117^	60 x 96		1170	1372
AET7118^	60 x 120		1340	1587
AET7119^	60 x 144		1585	1890
	Lbs/sq ft		4.0	5.3

^Indicated 2 piece construction with field joint attachment

30"D Laminate Tops

Model #	D" x L"	Thickness	0.75	1.25
			-L	-S
AET7077	30 x 30		289	327
AET7078	30 x 36		314	372
AET7080	30 x 48		370	425
AET7082	30 x 60		416	484
AET7083	30 x 72		470	552
AET7085	30 x 96		556	688
AET7086	30 x 120		735	878
AET7087	30 x 144		832	1002
	Lbs/sq ft		4.0	5.3

48"D Laminate Tops

Model #	D" x L"	Thickness	0.75	1.25
			-L	-S
AET7107	48 x 48		481	565
AET7108	48 x 60		546	674
AET7109	48 x 72		636	759
AET7111	48 x 96		807	971
AET7112^	48 x 120		1179	1384
AET7113^	48 x 144		1319	1560
	Lbs/sq ft		4.0	5.3

^Indicated 2 piece construction with field joint attachment

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
 *All ESD tops over 72" are recommended to have two grounding bolt kits.
 *Grounding bolts for ESD tops must be factory installed to ensure proper function.



Radius Edge
Standard

-RA

Beveled Edge
Optional

-BV



Chemical Resistant Laminate or Electro Static Dissipative Tops* w/Lotz Armor Edge™

Material: MDF core with black chemical resistant laminate on top or ESD top (in White, Almond, or Grey), phenolic backer

Finish: Standard or custom laminates

Edge: Black Lotz Armor Edge™ (additional colors available), radius or beveled edge, both w/1.5" radius corners

Thickness: 0.75" or 1.25" available

Sizes: Up to 60"D x 144"L*

Additional Options	List \$
0.875" grounding bolt kit+ w/6" 1 ohm wire (per location)	77
Grounding bolt kit installation (per location)	34
Grounding cord kit w/15' ground cord and snap+ (per location)	64
Grounding cord kit installation (per location)	34
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Inserts installed (each)/(drilling not included)	5
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Sink Cutout (n/a on ESD)	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
Laminate backer substitution (per sq ft)	5
ESD/Chem. Res. laminate backer substitution (per sq ft)	17
4" square backsplash ESD/Chem. Resistant backsplash (1" thick) (per ln ft) (self edge)	65
Carton/box packaging	27
Full packaging (added to carton packaging price)	12
Crate packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton



Joint connector hardware on the following tops:
 48 x 120 & 144
 60 x 96, 120 & 144

24"D CHM/ESD Tops

		Thickness	0.75	1.25
Chemical Resistant Model #	ESD Model #	D" x L"	-L	-S
AET7065-C	ESD7065	24 x 24	260	289
AET7066-C	ESD7066	24 x 30	289	323
AET7067-C	ESD7067	24 x 36	324	358
AET7069-C	ESD7069	24 x 48	436	484
AET7071-C	ESD7071	24 x 60	497	554
AET7072-C	ESD7072	24 x 72	563	630
AET7074-C	ESD7074	24 x 96	703	790
AET7075-C	ESD7075	24 x 120	945	1066
AET7076-C	ESD7076	24 x 144	1086	1228
		Lbs/sq ft	4.0	5.3

36"D CHM/ESD Tops

		Thickness	0.75	1.25
Chemical Resistant Model #	ESD Model #	D" x L"	-L	-S
AET7088-C	ESD7088	36 x 36	463	494
AET7090-C	ESD7090	36 x 48	557	622
AET7092-C	ESD7092	36 x 60	643	721
AET7093-C	ESD7093	36 x 72	751	843
AET7095-C	ESD7095	36 x 96	969	1092
AET7096-C	ESD7096	36 x 120	1207	1365
AET7097-C	ESD7097	36 x 144	1402	1588
		Lbs/sq ft	4.0	5.3

60"D CHM/ESD Tops

		Thickness	0.75	1.25
Chemical Resistant Model #	ESD Model #	D" x L"	-L	-S
AET7114-C	ESD7114	60 x 60	990	1115
AET7115-C	ESD7115	60 x 72	1193	1286
AET7117-C^	ESD7117^	60 x 96	1730	1935
AET7118-C^	ESD7118^	60 x 120	2044	2293
AET7119-C^	ESD7119^	60 x 144	2473	2782
		Lbs/sq ft	4.0	5.3

^Indicated 2 piece construction with field joint attachment

30"D CHM/ESD Tops

		Thickness	0.75	1.25
Chemical Resistant Model #	ESD Model #	D" x L"	-L	-S
AET7077-C	ESD7077	30 x 30	363	400
AET7078-C	ESD7078	30 x 36	404	465
AET7080-C	ESD7080	30 x 48	494	550
AET7082-C	ESD7082	30 x 60	574	641
AET7083-C	ESD7083	30 x 72	665	746
AET7085-C	ESD7085	30 x 96	816	958
AET7086-C	ESD7086	30 x 120	1105	1249
AET7087-C	ESD7087	30 x 144	1279	1447
		Lbs/sq ft	4.0	5.3

48"D CHM/ESD Tops

		Thickness	0.75	1.25
Chemical Resistant Model #	ESD Model #	D" x L"	-L	-S
AET7107-C	ESD7107	48 x 48	689	773
AET7108-C	ESD7108	48 x 60	806	944
AET7109-C	ESD7109	48 x 72	961	1083
AET7111-C	ESD7111	48 x 96	1260	1424
AET7112-C^	ESD7112^	48 x 120	1741	1947
AET7113-C^	ESD7113^	48 x 144	1994	2237
		Lbs/sq ft	4.0	5.3

^Indicated 2 piece construction with field joint attachment

Important Information

- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.
- Additional chemical resistant laminates available in various colors with possible up charges. Contact Estimating Dept. for pricing.

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Radius
Corner

T-Mold Edge Tops

- Material:** Particle board core with high pressure laminate (HPL) on top, phenolic backer, 1.625" resin backer
- Finish:** Standard or custom laminates
- Edge:** T-Mold: black (standard) 1.5" radius corners
- Thickness:** 0.75", 1.25", or 1.625" available
- Sizes:** Up to 60"D x 144"L*

Additional Options	List \$
1 grommet hole	
Additional grommet holes (same top)	
2.375" black grommet cover	
Drilling (1-16 holes)	
Drilling (17+)	
Inserts installed (each drilling not included)	
Mitre joint or field joint	
Additional field joint (per top)	
Notch 6" or less	
Notch over 6"	
Sink Cutout	
Angle cut (first cut)	
Additional angle cut (same top)	
Laminate backer substitution (per sq ft)	
Bulk packaging deduction (per top)	
Full packaging	
Crate packaging	
Ground packaging (per item)	

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton



Joint connector hardware on the following tops:
 48 x 120 & 144
 60 x 96, 120 & 144

24"D T-Mold Edge Laminate Tops

	Thickness	0.75	1.25	1.625
Model #	D" x L"	-L	-S	-U
TMD5065	24 x 24			
TMD5066	24 x 30			
TMD5067	24 x 36			
TMD5069	24 x 48			
TMD5071	24 x 60			
TMD5072	24 x 72			
TMD5074	24 x 96			
TMD5075	24 x 120			
TMD5076	24 x 144			
	Lbs/sq ft			

30"D T-Mold Edge Laminate Tops

	Thickness	0.75	1.25	1.625
Model #	D" x L"	-L	-S	-U
TMD5077	30 x 30			
TMD5078	30 x 36			
TMD5080	30 x 48			
TMD5082	30 x 60			
TMD5083	30 x 72			
TMD5085	30 x 96			
TMD5086	30 x 120			
TMD5087	30 x 144			
	Lbs/sq ft			

36"D T-Mold Edge Laminate Tops

	Thickness	0.75	1.25	1.625
Model #	D" x L"	-L	-S	-U
TMD5088	36 x 36			
TMD5090	36 x 48			
TMD5092	36 x 60			
TMD5093	36 x 72			
TMD5095	36 x 96			
TMD5096	36 x 120			
TMD5097	36 x 144			
	Lbs/sq ft			

48"D T-Mold Edge Laminate Tops

	Thickness	0.75	1.25	1.625
Model #	D" x L"	-L	-S	-U
TMD5107	48 x 48			
TMD5108	48 x 60			
TMD5109	48 x 72			
TMD5111	48 x 96			
TMD5111^	48 x 120			
TMD5111^	48 x 144			
	Lbs/sq ft			

^Indicated 2 piece construction with field joint attachment

60"D T-Mold Edge Laminate Tops

	Thickness	0.75	1.25	1.625
Model #	D" x L"	-L	-S	-U
TMD5114	60 x 60			
TMD5115	60 x 72			
TMD5117^	60 x 96			
TMD5118^	60 x 120			
TMD5119^	60 x 144			
	Lbs/sq ft			

^Indicated 2 piece construction with field joint attachment

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.
 *All ESD tops over 72" are recommended to have two grounding bolt kits.
 *Grounding bolts for ESD tops must be factory installed to ensure proper function.



Radius
Corner

Chemical Resistant Laminate or Electro Static Dissipative Tops⁺ w/ T-Mold Edge

Material: Particle board core with black chemical resistant laminate on top or ESD top (in White, Almond, or Grey), 1.625" resin backer, .75" and 1.25" phenolic backer.

Finish: Standard or custom laminates

Edge: T-Mold: black (standard) 1.5" radius corners

Thickness: 0.75", 1.25", or 1.625" available

Sizes: Up to 60"D x 144"L*

Additional Options

List \$

0.875" grounding bolt kit w/6" 1/8" mm w (per location)

Grounding bolt kit installation (per location)

Grounding cord 1/4" w/10' ground cord and snap (per location)

Grounding cord kit installation (per location)

1 grommet hole

Additional grommet holes (same top)

2.375" black grommet cover

Drilling (1-16 holes)

Drilling (17+)

Inserts installed (each) / (drilling not included)

Mitre joint or field joint

Additional field joint (same top)

Notch 6" or less

Notch over 6"

Sink Cutout (n/a on ESD)

Angle cut (first cut)

Additional angle cut (same top)

Laminate backer substitution (per sq ft)

Bulk packaging deduction (per top)

Full packaging

Crate packaging

Ground packaging (per item)

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83620-2
Ground: Yes, with limitations
Package: Carton



Joint connector hardware on the following tops:
 48 x 120 & 144
 60 x 96, 120 & 144

24"D CHM/ESD T-Mold Edge Tops*

Model #	D" x L"	Thickness			
		0.75	1.25	1.625	
		-L	-S	-U	
ESD5065	24 x 24				
ESD5066	24 x 30				
ESD5067	24 x 36				
ESD5069	24 x 48				
ESD5071	24 x 60				
ESD5072	24 x 72				
ESD5074	24 x 96				
ESD5075	24 x 120				
ESD5076	24 x 144				
		Lbs/sq ft			

30"D CHM/ESD T-Mold Edge Tops

Model #	D" x L"	Thickness			
		0.75	1.25	1.625	
		-L	-S	-U	
ESD5077	30 x 30				
ESD5078	30 x 36				
ESD5080	30 x 48				
ESD5082	30 x 60				
ESD5083	30 x 72				
ESD5085	30 x 96				
ESD5086	30 x 120				
ESD5087	30 x 144				
		Lbs/sq ft			

36"D CHM/ESD T-Mold Edge Tops

Model #	D" x L"	Thickness			
		0.75	1.25	1.625	
		-L	-S	-U	
ESD5088	36 x 36				
ESD5090	36 x 48				
ESD5092	36 x 60				
ESD5093	36 x 72				
ESD5095	36 x 96				
ESD5096	36 x 120				
ESD5097	36 x 144				
		Lbs/sq ft			

48" CHM/ESD T-Mold Edge Tops

Model #	D" x L"	Thickness			
		0.75	1.25	1.625	
		-L	-S	-U	
ESD5107	48 x 48				
ESD5108	48 x 60				
ESD5109	48 x 72				
ESD5111	48 x 96				
ESD5112	48 x 120				
ESD5113	48 x 144				
		Lbs/sq ft			

^Indicated 2 piece construction with field joint attachment

60"D CHM/ESD T-Mold Edge Tops

Model #	D" x L"	Thickness			
		0.75	1.25	1.625	
		-L	-S	-U	
ESD5114	60 x 60				
ESD5115	60 x 72				
ESD5117^	60 x 96				
ESD5118^	60 x 120				
ESD5119^	60 x 144				
		Lbs/sq ft			

^Indicated 2 piece construction with field joint attachment

***For Chemical Resistant Laminate Tops, replace ESD with CHM in Model #.**

Important Information

- In order to operate all anti static tops effectively, grounding bolt must be attached to a reliable earth ground connection. Typical installation location for grounding cord or bolt is 4" along back and inset 4" from edge. Specify left or right position.
- Additional chemical resistant laminates available in various colors with possible up charges. Contact Estimating Dept. for pricing.



We Can.
DESIGN. BUILD. DELIVER.

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Stainless Steel Top

- Material:** 16-gauge 304 stainless steel with particle board core (not suitable for food preparation)
- Finish:** #4 finish
- Edge:** Wrapped and welded all corners and edges with Safety J edge
- Thickness:** 1.625" thick
- Sizes:** Up to 54"D x 120"L* in one piece. Call Estimating on sizes that are not listed here:
Max. Depth - 54"
Max Length - 120"
- Options:** Drip edge, T-mold edge, integral backsplash

Additional Options	List \$
Sink cutout	Call estim.
Stainless steel integral backsplash	Call estim.
T-Mold edge	Call estim.
Drip edge	Call estim.
Phenolic backer addition (per sq ft)	9
PVC edge on core (cleanroom application)	Call estim.
Backsplash	Call estim.

Custom Sizes - Add 5% per top to next larger standard size list price.

Important Information


- Stainless Steel tops are not food grade.

Shipping Details

Class: 70
NMFC#: 83640
Ground: No
Package: Carton



Stainless integrated backsplash



Stainless with drip edge (optional)

24"D Stainless Steel Tops

	Thickness	1.625
Model #	D" x L"	-U
SSTSJ065	24 x 24	2494
SSTSJ066	24 x 30	2972
SSTSJ067	24 x 36	2984
SSTSJ069	24 x 48	3053
SSTSJ071	24 x 60	3252
SSTSJ072	24 x 72	3662
SSTSJ074	24 x 96	4124
SSTSJ075	24 x 120	4530
	Lbs/sq ft	5554

30"D Stainless Steel Tops

	Thickness	1.625
Model #	D" x L"	-U
SSTSJ077	30 x 30	3108
SSTSJ078	30 x 36	3123
SSTSJ080	30 x 48	3155
SSTSJ082	30 x 60	3184
SSTSJ083	30 x 72	3725
SSTSJ085	30 x 96	4733
SSTSJ086	30 x 120	5393
	Lbs/sq ft	11

36"D Stainless Steel Tops

	Thickness	1.625
Model #	D" x L"	-U
SSTSJ088	36 x 36	3183
SSTSJ090	36 x 48	3221
SSTSJ092	36 x 60	3323
SSTSJ093	36 x 72	4014
SSTSJ095	36 x 96	4852
SSTSJ096	36 x 120	5539
	Lbs/sq ft	11

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Phenolic Lab Top

- Material:** Black phenolic resin
- Finish:** Matte finish
- Edge:** 0.125" radius on all exterior edges and corners
- Thickness:** 1" thick
- Sizes:** Up to 60"D x 144"L*
- Options:** 1" backsplash field machinable

Additional Options	List \$
1 grommet hole	29
Additional grommet holes (same top)	11
2.375" black grommet cover	13
Drilling (1-16 holes)	52
Drilling (17+)	73
Mitre joint or field joint	60
Additional field joint (same top)	30
Notch 6" or less	29
Notch over 6"	60
Sink Cutout	60
Angle cut (first cut)	60
Additional angle cut (same top)	30
4" backsplash (1" thick) (per ln ft)	34
Bulk packaging deduction (per top)	-6
Full packaging	12
Crate packaging	Call estim.
Ground packaging (per item)	75

Custom Sizes - Add 5% per top to next larger standard size list price.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton



Phenolic
backsplash
(optional)



Joint connector
hardware on the
following tops:
48 x 120 & 144
60 x 96, 120 & 144

12"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8033	12 x 24	337
LAB8034	12 x 30	424
LAB8035	12 x 36	489
LAB8036	12 x 48	555
LAB8037	12 x 60	646
LAB8038	12 x 72	767
LAB8040	12 x 96	981
LAB8041	12 x 120	1153
LAB8042	12 x 144	1281
Lbs/sq ft		7.5

18"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8053	18 x 24	412
LAB8054	18 x 30	518
LAB8055	18 x 36	599
LAB8056	18 x 48	763
LAB8057	18 x 60	926
LAB8058	18 x 72	1071
LAB8060	18 x 96	1327
LAB8061	18 x 120	1536
LAB8062	18 x 144	1807
Lbs/sq ft		7.5

30"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8077	30 x 30	706
LAB8078	30 x 36	809
LAB8080	30 x 48	1050
LAB8082	30 x 60	1205
LAB8083	30 x 72	1430
LAB8085	30 x 96	1972
LAB8086	30 x 120	2265
LAB8087	30 x 144	2650
Lbs/sq ft		7.5

48"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8107	48 x 48	1737
LAB8108	48 x 60	2187
LAB8109	48 x 72	2501
LAB8111	48 x 96	3269
LAB8112^	48 x 120	4398
LAB8113^	48 x 144	5197
Lbs/sq ft		7.5

^Indicated 2 piece construction with field joint attachment

15"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8043	15 x 24	390
LAB8044	15 x 30	490
LAB8045	15 x 36	570
LAB8046	15 x 48	656
LAB8047	15 x 60	770
LAB8048	15 x 72	920
LAB8050	15 x 96	1191
LAB8051	15 x 150	1400
LAB8052	15 x 144	1562
Lbs/sq ft		7.5

24"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8065	24 x 24	536
LAB8066	24 x 30	672
LAB8067	24 x 36	784
LAB8069	24 x 48	850
LAB8071	24 x 60	1051
LAB8072	24 x 72	1168
LAB8074	24 x 96	1622
LAB8075	24 x 120	1975
LAB8076	24 x 144	2335
Lbs/sq ft		7.5

36"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8088	36 x 36	1001
LAB8090	36 x 48	1229
LAB8092	36 x 60	1486
LAB8093	36 x 72	1789
LAB8095	36 x 96	2326
LAB8096	36 x 120	2871
LAB8097	36 x 144	3392
Lbs/sq ft		7.5

60"D Phenolic Tops

Thickness		1
Model #	D" x L"	-P
LAB8114	60 x 60	2585
LAB8115	60 x 72	3170
LAB8117^	60 x 96	4391
LAB8118^	60 x 120	5372
LAB8119^	60 x 144	6365
Lbs/sq ft		7.5

^Indicated 2 piece construction with field joint attachment

*All tops over 60"L must have extra support in addition to the legs by adding additional legs and/or support bar to prevent bowing.



Epoxy Resin Lab Top

Material: Black epoxy resin

Finish: Matte finish

Edge: 0.125" beveled on all exterior edges and corners

Thickness: 1" thick

Sizes: Up to 48" D x 96"L

Options: 1" backsplash, **NOT** field machinable

Additional Options	List \$
1 grommet hole	Call estim.
Additional grommet holes (same top)	Call estim.
2.375" black grommet cover	Call estim.
Angle cut	Call estim.
4" backsplash (1" thick) (per ln ft)	Call estim.
Box packaging	Call estim.
Crate packaging	Call estim.

Custom Sizes - Call for pricing.

Shipping Details

Class: 70
NMFC#: 83640
Ground: Yes, with limitations
Package: Carton

Caution: DO NOT put casters on tables with epoxy resin tops, this voids the warranty.

Any use of an epoxy top utilized in a mobile application will void any/all implied warranties on the top. This is due to exposing edges of an epoxy top to impacts will likely result in damages to the top.



Epoxy backsplash (optional)

24"D Epoxy Tops

	Thickness	1
Model #	D" x L"	-P
LABE067	24 x 36	2666
LABE069	24 x 48	2554
LABE071	24 x 60	2812
LABE072	24 x 72*	2879
LABE074	24 x 96*	3587
	Lbs/sq ft	11

36"D Epoxy Tops

	Thickness	1
Model #	D" x L"	-P
LABE088	36 x 36	2876
LABE090	36 x 48	3070
LABE092	36 x 60	3457
LABE093	36 x 72*	3846
LABE095	36 x 96*	4620
	Lbs/sq ft	11

30"D Epoxy Tops

	Thickness	1
Model #	D" x L"	-P
LABE080	30 x 48	2812
LABE082	30 x 60	2941
LABE083	30 x 72*	3243
LABE085	30 x 96*	4104
	Lbs/sq ft	11

48"D Epoxy Tops

	Thickness	1
Model #	D" x L"	-P
LABE107	48 x 48	3846
LABE108	48 x 60	4400
LABE109	48 x 72*	4953
LABE111	48 x 96*	6060
	Lbs/sq ft	11

Important Information

- *All tops over 60" must have extra support in addition to the legs by adding additional legs and/or a support bar to prevent bowing.
- Tops must be supported. Cannot clear span over 24" and/or overhang over 3".

Locker Benches



Hardwood Locker Bench Overview

- Wood Seat:** 1.25" face-glued hardwood strips
- Wood Finish:** 2 coats clear catalyzed lacquer top and edges, 1 coat bottom
- Wood Edge:** Radius comfort edge and rounded corners
- Pedestals:** 16.25" tall round or trapezoid in stainless steel or almond, 17.75" tall U-Frame in black (sold separately)
- Wall Bracket:** 1.5"W x .125" steel bracket or 12-gauge #4 stainless steel with reversible design, black, almond or stainless steel (stainless steel n/a on 9.5", 12" or 15" deep seats)

Shipping Details

Class:	70
NMFC#:	79860 (Locker Benches), 83630 (Pedestals, Brackets)
Assembly:	Unassembled
Ground:	Yes with limitations, call Estim.
Package:	Carton

Hardwood Locker Bench Seats & Accessories

9.5" Depth	12" Depth	18" Depth	20" Depth	24" Depth	Seat Length"	9.5" Depth List \$	12" Depth List \$	18" Depth List \$	20" Depth List \$	24" Depth List \$
LBS9H024	LBS12024	LBS18024	LBS20024	LBS24024	24	117	170	342	419	382
LBS9H036	LBS12036	LBS18036	LBS20036	LBS24036	36	166	242	296	456	503
LBS9H042	LBS12042	LBS18042	LBS20042	LBS24042	42	287	385	342	378	425
LBS9H048	LBS12048	LBS18048	LBS20048	LBS24048	48	214	315	388	429	483
LBS9H060	LBS12060	LBS18060	LBS20060	LBS24060	60	263	388	480	623	599
LBS9H072	LBS12072	LBS18072	LBS20072	LBS24072	72	311	461	571	705	715
LBS9H084	LBS12084	LBS18084	LBS20084	LBS24084	84	360	551	715	870	869
LBS9H096	LBS12096	LBS18096	LBS20096	LBS24096	96	408	626	774	874	946
LBS9H108	LBS12108	LBS18108	LBS20108	LBS24108	108	457	701	1024	1027	1034
LBS9H120	LBS12120	LBS18120	LBS20120	LBS24120	120	518	776	1027	1031	1178
LBS9H132	LBS12132	LBS18132	LBS20132	LBS24132	132	567	851	1187	1191	1199
LBS9H144	LBS12144	LBS18144	LBS20144	LBS24144	144	617	926	1191	1195	1410

Drilling and attachment done onsite by others.

LBS/SQ FT 5.0



ADA Hardwood Locker Bench Seats

20" Depth	24" Depth	Seat Length"	20" Depth List \$	24" Depth List \$
LBS20042	LBS24042	42	378	425
LBS20048	LBS24048	48	429	483

LBS/SQ FT 5.0



Meets ADA requirements



Locker Bench Pedestals & Wall Mount Brackets

Model #	Wgt	Description	Qty	List \$
MSLP	5.5	16.25"H Round Pedestals, Almond (includes bench top mounting hardware)	1	211
SSLP	5	16.25"H Round Pedestals, Stainless Steel (includes bench top mounting hardware)	1	303
04009060*	5.5	16.25"H Trapezoid, Stainless Steel (includes bench top mounting hardware)**	1	272
04009060-04*	6	16.25"H Trapezoid, Almond (includes bench top mounting hardware)**	1	169
0406773	2	17.75"H U-Frame, Black**	1	256
0400151	3	18" x 20" ADA Stainless Steel Backrest Bracket	1	424
0400490-04	23	ADA Frame, Almond	1	362
0400490-SS	18	ADA Frame, Stainless Steel	1	441

*Trapezoid pedestals don't come w/ rubber feet, ment to be floor mounted - not movable.

**Recommended for benches with depths between 12" and 18"; floor mounting hardware not included.

Locker Bench Wall Mount Brackets*

Black (-B)	Almond (-A)	Stainless Steel (SS)	Wgt	Description	Black List \$	Almond List \$	Stainless Steel List \$
BKT0508-B	BKT0508-A	N/A	2	9.5" and 12" Deep Seat (Pair)	89	89	N/A
BKT0812-B	BKT0812-A	N/A	4	15" Deep Seat (Pair)	116	116	N/A
BKT1218-B	BKT1218-A	BKT1218-SS	6	20" Deep Seat (Pair)	143	143	855
BKT1521-B	BKT1521-A	BKT1521-SS	8	18" and 24" Deep Seat (Pair)	186	186	862

Additional Options

	List \$
(-M) Maple, (-H) Hard Maple	Call Estim.
Custom sizes (Use price for next larger size and add 15%)	<---
Mitre joint or field joint (per side)	60
Additional field joint (same top)	30
Drilling (1-16 holes)	52
Drilling (17+)	73
Angle cut (each cut)	60
Additional angle cut (same top)	30
Ground packaging (per item)	75

Important Information

- Pedestals can be installed up to 12" from end of bench. The span between pedestals cannot exceed 48"
- Benches 20" and wider require 1 pair of round pedestals every 48".
- It is recommended to attach pedestals to the floor. Hardware to attach pedestals to the floor is not included.
- Hardwood locker benches are not recommended for areas with high moisture content. Failure to properly protect benches from moisture negates the product warranty.

Pricing and specifications are subject to change. Please refer to our catalog on the website for the most up-to-date information. Product images are for illustrative purposes only and may differ from the actual product.

wibenchmfg.com

25

Locker Bench Kits



Meets ADA requirements

LBSADA2048SS

ADA Locker Bench Seat Kits (with Welded Frames)

Almond Ped-estal	Almond Wgt	Stainless Steel Pedestal	SS Wgt	Description	D" x L" x H"	Almond List \$	Stainless Steel (-SS) List \$
LBSADA2042	101	LBSADA2042SS	91	ADA Kit w/Back (2 Frames)*	20 x 42 x 18	1527	1678
LBSADA2048	109	LBSADA2048SS	99	ADA Kit w/Back (2 Frames)*	20 x 48 x 18	1593	1743
LBSADA2060	126	LBSADA2060SS	116	ADA Kit w/Back (2 Frames)*	20 x 60 x 18	2057	2200
LBSADA2072	164	LBSADA2072SS	149	ADA Kit w/Back (3 Frames)*	20 x 72 x 18	2528	2743
LBSADA2442	107	LBSADA2442SS	97	ADA Kit w/Back (2 Frames)*	24 x 42 x 18	1576	1726
LBSADA2448	116	LBSADA2448SS	106	ADA Kit w/Back (2 Frames)*	24 x 48 x 18	1648	1797
LBSADA2460	134	LBSADA2460SS	124	ADA Kit w/Back (2 Frames)*	24 x 60 x 18	1794	1940
LBSADA2472	174	LBSADA2472SS	159	ADA Kit w/Back (3 Frames)*	24 x 72 x 18	2249	2475

*Seats are pre-drilled and include hardware to attach bench to frames, floor mounting hardware not supplied.

ADA Locker Bench Seat Kits with Wall Brackets*

Choose from Almond, Black or Stainless Steel Brackets



LBSBKT20048

Model #	-A/-B Wgt	-SS Wgt	D" x L" x H"	Description	Almond (-A) List \$	Black (-B) List \$	Stainless Steel (-SS) List \$
LBSBKT20042	35	34	20 x 42 x 1.25	Includes 2 Wall Mount Brackets	489	489	1337
LBSBKT20048	39	38	20 x 48 x 1.25	Includes 2 Wall Mount Brackets	530	530	1378
LBSBKT24042	41	40	24 x 42 x 1.25	Includes 2 Wall Mount Brackets	600	600	1221
LBSBKT24048	48	47	24 x 48 x 1.25	Includes 2 Wall Mount Brackets	650	650	1298

*Drilling and attachment done onsite by others.

Portable Hardwood Locker Bench Kits



LBSMP18048U

Model #	Wgt	Description	D" x L" x H"	List \$
LBSMP12048U	30	Hardwood Seat w/2 Black U Legs, Glides*	12 x 48 x 19	1136
LBSMP12060U	35	Hardwood Seat w/2 Black U Legs, Glides*	12 x 60 x 19	1204
LBSMP12072U	44	Hardwood Seat w/2 Black U Legs, Glides (support bar)*	12 x 72 x 19	1597
LBSMP12084U	50	Hardwood Seat w/3 Black U Legs, Glides*	12 x 84 x 19	1699
LBSMP12096U	55	Hardwood Seat w/3 Black U Legs, Glides*	12 x 96 x 19	1804
LBSMP15048U	35	Hardwood Seat w/2 Black U Legs, Glides*	15 x 48 x 19	1573
LBSMP15060U	41	Hardwood Seat w/2 Black U Legs, Glides*	15 x 60 x 19	1680
LBSMP15072U	52	Hardwood Seat w/2 Black U Legs, Glides (support bar)*	15 x 72 x 19	2111
LBSMP15084U	59	Hardwood Seat w/3 Black U Legs, Glides*	15 x 84 x 19	2333
LBSMP15096U	65	Hardwood Seat w/3 Black U Legs, Glides*	15 x 96 x 19	2338
LBSMP18048U	40	Hardwood Seat w/2 Black U Legs, Glides*	18 x 48 x 19	1271
LBSMP18060U	48	Hardwood Seat w/2 Black U Legs, Glides*	18 x 60 x 19	1373
LBSMP18072U	59	Hardwood Seat w/2 Black U Legs, Glides (support bar)*	18 x 72 x 19	1800
LBSMP18084U	68	Hardwood Seat w/3 Black U Legs, Glides*	18 x 84 x 19	2340
LBSMP18096U	75	Hardwood Seat w/3 Black U Legs, Glides*	18 x 96 x 19	2084

**Seats are pre-drilled and include hardware to attach bench to legs.

Additional Options

Additional Options	List \$
(-M) Maple, (-H) Hard Maple	Call Estim.
Custom sizes (Use price for next larger size and add 15%)	<---
Ground packaging (per item)	75

Shipping Details

Class:	70
NMFC#:	79860 (Locker Benches), 83630 (Pedestals, Brackets)
Assembly:	Unassembled
Ground:	Yes with limitations, call Estim.
Package:	Carton

Important Information

- Pedestals can be installed up to 12" from end of bench. The span between pedestals cannot exceed 48"
- Benches 20" and wider require 1 pair of round pedestals every 48"
- It is recommended to attach pedestals to the floor. Hardware to attach pedestals to the floor is not included.
- Hardwood locker benches are not recommended for areas with high moisture content. Failure to properly protect benches from moisture negates the product warranty.

Locker Bench Kits



LBSMP9H060



LBSMP20042SS

Hardwood Locker Bench Kits

Almond Pedestal	Almond Wgt	Stainless Steel Pedestal	SS Wgt	(Also available in Almond) SS Trapezoid Pedestal	SS Trap Wgt	Description	D" x L" x H"	Almond List \$	Stainless Steel List \$	Trapezoid Pedestal List \$
LBSMP9H036	23	LBSMP9H036SS	22	N/A	N/A	Hardwood Seat w/2 Pedestals*	9.5 x 36 x 17.5	591	808	N/A
LBSMP9H048	27	LBSMP9H048SS	26	N/A	N/A	Hardwood Seat w/2 Pedestals*	9.5 x 48 x 17.5	633	847	N/A
LBSMP9H060	31	LBSMP9H060SS	30	N/A	N/A	Hardwood Seat w/2 Pedestals*	9.5 x 60 x 17.5	670	885	N/A
LBSMP9H072	35	LBSMP9H072SS	34	N/A	N/A	Hardwood Seat w/2 Pedestals*	9.5 x 72 x 17.5	711	923	N/A
LBSMP9H084	45	LBSMP9H084SS	43	N/A	N/A	Hardwood Seat w/3 Pedestals*	9.5 x 84 x 17.5	977	1256	N/A
LBSMP9H096	49	LBSMP9H096SS	47	N/A	N/A	Hardwood Seat w/3 Pedestals*	9.5 x 96 x 17.5	1015	1331	N/A
LBSMP9H108	53	LBSMP9H108SS	51	N/A	N/A	Hardwood Seat w/3 Pedestals*	9.5 x 108 x 17.5	1054	1371	N/A
LBSMP9H120	57	LBSMP9H120SS	55	N/A	N/A	Hardwood Seat w/3 Pedestals*	9.5 x 120 x 17.5	1096	1410	N/A
LBSMP9H132	66	LBSMP9H132SS	64	N/A	N/A	Hardwood Seat w/4 Pedestals*	9.5 x 132 x 17.5	1321	1746	N/A
LBSMP9H144	70	LBSMP9H144SS	68	N/A	N/A	Hardwood Seat w/4 Pedestals*	9.5 x 144 x 17.5	1363	1786	N/A
LBSMP12036	26	LBSMP12036SS	25	LBSTR12036SS	26	Hardwood Seat w/2 Pedestals*	12 x 36 x 17.5	626	862	890
LBSMP12048	31	LBSMP12048SS	30	LBSTR12048SS	31	Hardwood Seat w/2 Pedestals*	12 x 48 x 17.5	692	912	947
LBSMP12060	36	LBSMP12060SS	35	LBSTR12060SS	36	Hardwood Seat w/2 Pedestals*	12 x 60 x 17.5	744	962	1004
LBSMP12072	41	LBSMP12072SS	40	LBSTR12072SS	41	Hardwood Seat w/2 Pedestals*	12 x 72 x 17.5	806	1026	1063
LBSMP12084	52	LBSMP12084SS	50	LBSTR12084SS	52	Hardwood Seat w/3 Pedestals*	12 x 84 x 17.5	1038	1383	1419
LBSMP12096	57	LBSMP12096SS	55	LBSTR12096SS	57	Hardwood Seat w/3 Pedestals*	12 x 96 x 17.5	1148	1505	1476
LBSMP12108	62	LBSMP12108SS	60	LBSTR12108SS	62	Hardwood Seat w/3 Pedestals*	12 x 108 x 17.5	1206	1558	Call Estim.
LBSMP12120	67	LBSMP12120SS	65	LBSTR12120SS	67	Hardwood Seat w/3 Pedestals*	12 x 120 x 17.5	1260	1611	Call Estim.
LBSMP12132	77	LBSMP12132SS	75	LBSTR12132SS	77	Hardwood Seat w/4 Pedestals*	12 x 132 x 17.5	1500	1971	Call Estim.
LBSMP12144	82	LBSMP12144SS	80	LBSTR12144SS	82	Hardwood Seat w/4 Pedestals*	12 x 144 x 17.5	1559	2024	Call Estim.
LBSMP18042	37	LBSMP18042SS	36	LBSTR18042SS	36	Hardwood Seat w/2 Pedestals*	18 x 42 x 17.5	733	950	Call Estim.
LBSMP18048	41	LBSMP18048SS	40	LBSTR18048SS	41	Hardwood Seat w/2 Pedestals*	18 x 48 x 17.5	770	986	931
LBSMP18060	49	LBSMP18060SS	48	LBSTR18060SS	49	Hardwood Seat w/2 Pedestals*	18 x 60 x 17.5	846	1059	1006
LBSMP18072	56	LBSMP18072SS	55	LBSTR18072SS	56	Hardwood Seat w/2 Pedestals*	18 x 72 x 17.5	917	1132	1080
LBSMP18084	70	LBSMP18084SS	68	LBSTR18084SS	70	Hardwood Seat w/3 Pedestals*	18 x 84 x 17.5	1476	1568	1715
LBSMP18096	77	LBSMP18096SS	75	LBSTR18096SS	77	Hardwood Seat w/3 Pedestals*	18 x 96 x 17.5	1241	1573	1492
LBSMP20042	51	LBSMP20042SS	49	N/A	N/A	Hardwood Seat w/4 Pedestals*	20 x 42 x 17.5	1175	1614	N/A
LBSMP20048	55	LBSMP20048SS	53	N/A	N/A	Hardwood Seat w/4 Pedestals*	20 x 48 x 17.5	1221	1656	N/A
LBSMP20060	64	LBSMP20060SS	62	N/A	N/A	Hardwood Seat w/4 Pedestals*	20 x 60 x 17.5	1595	2030	N/A
LBSMP20072	72	LBSMP20072SS	70	N/A	N/A	Hardwood Seat w/4 Pedestals*	20 x 72 x 17.5	1701	2133	N/A
LBSMP24042	57	LBSMP24042SS	55	N/A	N/A	Hardwood Seat w/4 Pedestals*	24 x 42 x 17.5	1215	1654	N/A
LBSMP24048	62	LBSMP24048SS	60	N/A	N/A	Hardwood Seat w/4 Pedestals*	24 x 48 x 17.5	1281	1703	N/A
LBSMP24060	72	LBSMP24060SS	70	N/A	N/A	Hardwood Seat w/4 Pedestals*	24 x 60 x 17.5	1324	1749	N/A
LBSMP24072	82	LBSMP24072SS	80	N/A	N/A	Hardwood Seat w/4 Pedestals*	24 x 72 x 17.5	1425	1845	N/A
LBSMP24096	113	LBSMP24096SS	110	N/A	N/A	Hardwood Seat w/6 Pedestals*	24 x 96 x 17.5	1977	2622	N/A

*Seats are pre-drilled and include hardware to attach bench to pedestal. Hardware to attach pedestals to floor is not included.

Locker Bench Seats



Phenolic Locker Bench Kits w/ Stainless Steel Pedestals

Model #	Wgt	Description	D" x L" x H"	List \$
PLB9H036	28	Phenolic Seat w/2 SS Pedestals*	9.5 x 36 x 17.25	990
PLB9H048	34	Phenolic Seat w/2 SS Pedestals*	9.5 x 48 x 17.25	1072
PLB9H060	40	Phenolic Seat w/2 SS Pedestals*	9.5 x 60 x 17.25	1149
PLB9H072	51	Phenolic Seat w/3 SS Pedestals*	9.5 x 72 x 17.25	1483
PLB9H084	57	Phenolic Seat w/3 SS Pedestals*	9.5 x 84 x 17.25	1557
PLB9H096	63	Phenolic Seat w/3 SS Pedestals*	9.5 x 96 x 17.25	1669
PLB9H108	68	Phenolic Seat w/3 SS Pedestals*	9.5 x 108 x 17.25	1754
PLB9H120	79	Phenolic Seat w/4 SS Pedestals*	9.5 x 120 x 17.25	2086
PLB9H132	85	Phenolic Seat w/4 SS Pedestals*	9.5 x 132 x 17.25	2176
PLB9H144	91	Phenolic Seat w/4 SS Pedestals*	9.5 x 144 x 17.25	2257
PLB12036	33	Phenolic Seat w/2 SS Pedestals*	12 x 36 x 17.25	1059
PLB12048	40	Phenolic Seat w/2 SS Pedestals*	12 x 48 x 17.25	1154
PLB12060	48	Phenolic Seat w/2 SS Pedestals*	12 x 60 x 17.25	1258
PLB12072	60	Phenolic Seat w/3 SS Pedestals*	12 x 72 x 17.25	1609
PLB12084	68	Phenolic Seat w/3 SS Pedestals*	12 x 84 x 17.25	1709
PLB12096	75	Phenolic Seat w/3 SS Pedestals*	12 x 96 x 17.25	1833
PLB12120	95	Phenolic Seat w/4 SS Pedestals*	12 x 120 x 17.25	2296
PLB12132	103	Phenolic Seat w/4 SS Pedestals*	12 x 132 x 17.25	2410
PLB12144	110	Phenolic Seat w/4 SS Pedestals*	12 x 144 x 17.25	2499
PLB18042	49	Phenolic Seat w/2 SS Pedestals*	18 x 42 x 17.25	1274
PLB18048	55	Phenolic Seat w/2 SS Pedestals*	18 x 48 x 17.25	1352
PLB18060	66	Phenolic Seat w/2 SS Pedestals*	18 x 60 x 17.25	1504
PLB18072	83	Phenolic Seat w/3 SS Pedestals*	18 x 72 x 17.25	1912
PLB18096	105	Phenolic Seat w/3 SS Pedestals*	18 x 96 x 17.25	2242
PLB20042	64	Phenolic Seat w/4 SS Pedestals*	20 x 42 x 17.25	1844
PLB20048	70	Phenolic Seat w/4 SS Pedestals*	20 x 48 x 17.25	1930
PLB20060	83	Phenolic Seat w/4 SS Pedestals*	20 x 60 x 17.25	2102
PLB20072	95	Phenolic Seat w/4 SS Pedestals*	20 x 72 x 17.25	2262
PLB24042	73	Phenolic Seat w/4 SS Pedestals*	24 x 42 x 17.25	1964
PLB24048	80	Phenolic Seat w/4 SS Pedestals*	24 x 48 x 17.25	2066
PLB24060	95	Phenolic Seat w/4 SS Pedestals*	24 x 60 x 17.25	2260
PLB24072	110	Phenolic Seat w/4 SS Pedestals*	24 x 72 x 17.25	2466
PLB24096	150	Phenolic Seat w/6 Pedestals*	24 x 96 x 17.25	3432

*Seats are pre-drilled and include hardware to attach bench to pedestal.

Additional Options	List \$
Drilling (1-16 holes)	52
Drilling (17+)	73
Custom sizes (Use price for next larger size and add 5%)	<---
Ground packaging (per item)	75

Shipping Details	
Class:	70
NMFC#:	79860(Phenolic Locker Kit), 83620-2(Phenolic Locker Bench), 97720(Pedestals, Brackets)
Assembly:	Unassembled
Ground:	Yes with limitations, call Estim.

Phenolic Locker Bench (w/o pedestals)

Model #	Wgt	D" x L" x H"	List \$
LAB9H036**	18	9.5 x 36 x 1	397
LAB9H048**	24	9.5 x 48 x 1	476
LAB9H060**	30	9.5 x 60 x 1	558
LAB9H072**	36	9.5 x 72 x 1	635
LAB9H084**	42	9.5 x 84 x 1	713
LAB9H096**	48	9.5 x 96 x 1	815
LAB9H108**	53	9.5 x 108 x 1	898
LAB9H120**	59	9.5 x 120 x 1	975
LAB9H132**	65	9.5 x 132 x 1	1064
LAB9H144**	71	9.5 x 144 x 1	1139
LAB12036**	23	12 x 36 x 1	465
LAB12048**	30	12 x 48 x 1	564
LAB12060**	38	12 x 60 x 1	664
LAB12072**	45	12 x 72 x 1	765
LAB12084**	53	12 x 84 x 1	864
LAB12096**	60	12 x 96 x 1	982
LAB12120**	75	12 x 120 x 1	1190
LAB12132**	83	12 x 132 x 1	1298
LAB12144**	90	12 x 144 x 1	1389
LAB18042**	39	18 x 42 x 1	686
LAB18048**	45	18 x 48 x 1	763
LAB18060**	56	18 x 60 x 1	912
LAB18072**	68	18 x 72 x 1	1068
LAB18096**	90	18 x 96 x 1	1391
LAB20042**	44	20 x 42 x 1	746
LAB20048**	50	20 x 48 x 1	829
LAB20060**	63	20 x 60 x 1	997
LAB20072**	75	20 x 72 x 1	1164
LAB24042**	53	24 x 42 x 1	859
LAB24048**	60	24 x 48 x 1	961
LAB24060**	75	24 x 60 x 1	1162
LAB24072**	90	24 x 72 x 1	1360
LAB24096**	120	24 x 96 x 1	1800

**Drilling not included

Important Information

- It is recommended to install two pairs of round pedestals for every four foot span on ADA benches. It is recommended to install two pedestals for every four foot span on locker benches. Hardware to attach pedestals to the bench is included. Benches greater than 72" require more than 2 pedestals. Benches 20" and wider need more than 1 pedestal per side.
- It is recommended to attach pedestals to the floor, hardware to attach pedestals to floor is not included.
- Hardwood locker benches are not recommended for areas with high moisture content. Failure to properly protect benches from moisture negates the product warranty.

Laminate Benches & Cubbie Benches

Laminate Bench Overview

Classic Finish:	Double sided thermal fused laminate (TFL)
Premium Finish:	Double sided high pressure laminate (HPL)
Frame:	1" fully doweled, pocket screwed for re-enforcement (ships fully assembled), screw-in, non-marring glides
Seat:	1" matching (square edges/corners) seat, 3mm PVC edge banding or 1.25" clear lacquer finished butcher block with radius edge for comfort, 2 coats clear catalyzed lacquer top, 1 coat bottom
Finish:	Choice of standard colors (check availability of non-standard colors, minimum orders may apply)
Options:	Non-standard edge band, custom sizes

Shipping Details

Class:	Density Based Class
NMFC#:	80440
Assembly:	Fully Assembled
Ground:	N/A for UPS



LLB1548

Laminate Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
LLB1524-AL	43	Laminate Bench, Laminate Seat	15 x 24 x 18	809	928
LLB1536-AL	53	Laminate Bench, Laminate Seat	15 x 36 x 18	859	1002
LLB1548-AL	64	Laminate Bench, Laminate Seat	15 x 48 x 18	908	1077
LLB2024-AL	52	Laminate Bench, Laminate Seat	20 x 24 x 18	844	980
LLB2036-AL	64	Laminate Bench, Laminate Seat	20 x 36 x 18	895	1056
LLB2048-AL	75	Laminate Bench, Laminate Seat	20 x 48 x 18	944	1131
LLB2424-AL	60	Laminate Bench, Laminate Seat	24 x 24 x 18	872	1024
LLB2436-AL	72	Laminate Bench, Laminate Seat	24 x 36 x 18	922	1097
LLB2448-AL	84	Laminate Bench, Laminate Seat	24 x 48 x 18	972	1172



BLLB1548

Hardwood Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
BLLB1524-AL	45	Laminate Bench, Hardwood Seat	15 x 24 x 18	1046	1101
BLLB1536-AL	55	Laminate Bench, Hardwood Seat	15 x 36 x 18	1179	1244
BLLB1548-AL	67	Laminate Bench, Hardwood Seat	15 x 48 x 18	1211	1287
BLLB2024-AL	54	Laminate Bench, Hardwood Seat	20 x 24 x 18	1108	1175
BLLB2036-AL	67	Laminate Bench, Hardwood Seat	20 x 36 x 18	1209	1285
BLLB2048-AL	79	Laminate Bench, Hardwood Seat	20 x 48 x 18	1313	1399
BLLB2424-AL	62	Laminate Bench, Hardwood Seat	24 x 24 x 18	1128	1206
BLLB2436-AL	75	Laminate Bench, Hardwood Seat	24 x 36 x 18	1229	1317
BLLB2448-AL	88	Laminate Bench, Hardwood Seat	24 x 48 x 18	1299	1424



LCB1775

Cubbie Bench w/ Laminate Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
LCB1745-AL	92	3 Cubbie Bench, Laminate Seat	17 x 45.25 x 17	1904	2325
LCB1760-AL	134	4 Cubbie Bench, Laminate Seat	17 x 60 x 17	2105	2808
LCB1775-AL	190	5 Cubbie Bench, Laminate Seat	17 x 74.75 x 17	2277	3185

Overall Depth: 18"



BBCB1745

Cubbie Bench w/ Hardwood Seat

Model #	Wgt	Description	D" x L" x H"	Classic List \$ (/C)	Premium List \$ (/P)
BBCB1745-AL	95	3 Cubbie Bench, Hardwood Seat	17 x 45.25 x 17	2308	2751
BBCB1760-AL	138	4 Cubbie Bench, Hardwood Seat	17 x 60 x 17	2550	3266
BBCB1775-AL	195	5 Cubbie Bench, Hardwood Seat	17 x 74.75 x 17	2979	3839

Overall Depth: 18"

For all "BBCB____" Model #'s, Classic and Premium Finishes refer to base only. Seat is Hardwood.

Stools

Square Tube Stool Overview

- Frame:** 16-gauge heavy duty 1.25" (adjustable) and 1" (fixed) steel tube legs fully welded to 12-gauge seat mounting plate
- Finish:** Textured black powder coating
- HW Seat:** 14" round 1.25" face-glued hardwood strips, radius edge, 2 coats catalyzed lacquer finish (9)
- AE™ Seat:** 14" round 1.25" high pressure laminate (HPL), radius Lotz Armor Edge™ and phenolic backer (7)
- Urethane Seat:** 14" round 1.75" Urethane Seat (UR) (only available in black)
- Welded-On Backrest:** 16-gauge steel, textured black finish only (available as 4-legged stool only), optional
- Bolt-On Backrest:** 16-gauge steel, textured black finish only (optional) (-BZ)
- Footrest:** 0.375" diameter ring, fully welded to legs
- Glides:** Non-marring glides
- Option:** Steel glides

Square Tube Stools, No backrest



Lotz AE™ Seat	AE™ Wgt	Hardwood Seat	Hardwood Wgt	Urethane Seat	Urethane Wgt	Description	Height" w/ Seat*	AE™ List \$	Hardwood List \$	Urethane List \$
STL7186-AF4	13	STL9186-AF4	12	STLUR186-AF4	11	Desk Height Fx Stool, 4 legged	18	414	322	424
STL7186-AJ4	15	STL9186-AJ4	14	STLUR186-AJ4	13	Counter Height Fx Stool, 4 legged	24	443	365	454
STL7186-AQ4	20	STL9186-AQ4	19	STLUR186-AQ4	18	Table Height Adj Stool, 4 legged	18-28	461	387	475
STL7186-AM4	21	STL9186-AM4	20	STLUR186-AM4	19	Counter Height Adj Stool, 4 legged	22-32	558	501	585
STL7186-AH5	14	STL9186-AH5†	13	STLUR186-AH5†	12	Desk Height Fx Stool, 5 legged	18	434	343	446
STL7186-AL5	16	STL9186-AL5†	15	STLUR186-AL5†	14	Counter Height Fx Stool, 5 legged	24	465	391	479
STL7186-AR5	22	STL9186-AR5	21	STLUR186-AR5	20	Table Height Adj Stool, 5 legged	18-28	533	472	556
STL7186-AP5	25	STL9186-AP5†	24	STLUR186-AP5†	23	Counter Height Adj Stool, 5 legged	22-32	586	534	617

*Seat height increases .5" with an urethane seat. † Denotes product is stocked.

Square Tube Stools, Bolt-On Backrest



STL7186-AQ4-BZ



STL9186-AF4-BZ



STLUR186-AQ4-BZ



STL9186-AR5-BZ



STL9186-AR5-BZ



STLUR186-AH5-BZ

Lotz AE™ Seat	AE™ Wgt	Hardwood Seat	Hardwood Wgt	Urethane Seat	Urethane Wgt	Description	Height" w/ Seat*	AE™ List \$	Hardwood List \$	Urethane List \$
STL7186-AF4-BZ	20	STL9186-AF4-BZ	19	STLUR186-AF4-BZ	18	Desk Height Fx Stool, 4 legged	18	537	433	567
STL7186-AJ4-BZ	22	STL9186-AJ4-BZ	21	STLUR186-AJ4-BZ	20	Counter Height Fx Stool, 4 legged	24	572	488	604
STL7186-AQ4-BZ	27	STL9186-AQ4-BZ	26	STLUR186-AQ4-BZ	25	Table Height Adj Stool, 4 legged	18-28	591	509	625
STL7186-AM4-BZ	28	STL9186-AM4-BZ	27	STLUR186-AM4-BZ	26	Counter Height Adj Stool, 4 legged	22-32	687	615	735
STL7186-AH5-BZ	21	STL9186-AH5-BZ	20	STLUR186-AH5-BZ	19	Desk Height Fx Stool, 5 legged	18	556	453	589
STL7186-AL5-BZ	23	STL9186-AL5-BZ	22	STLUR186-AL5-BZ	21	Counter Height Fx Stool, 5 legged	24	594	512	629
STL7186-AR5-BZ	29	STL9186-AR5-BZ	28	STLUR186-AR5-BZ	27	Table Height Adj Stool, 5 legged	18-28	662	588	707
STL7186-AP5-BZ	32	STL9186-AP5-BZ	31	STLUR186-AP5-BZ	30	Counter Height Adj Stool, 5 legged	22-32	715	647	767

*Seat height increases .5" with an urethane seat.

Replacements

Replacement Seats

Model #	Wgt	Hgt"	Description	List \$
AE14BS	7	1.25	14" Round Lotz AE™ Seat w/ Drilling	266
HW14BS	6	1.25	14" Round Hardwood Seat w/ Drilling	126
UR14BS	3	1.75	14" Round Urethane Seat w/ Drilling	204



Replacement Glide for STL Stools

SKU	Wgt	Qty	Description	List \$
0401240	1	1	1" Square Platform Swivel Glide	3



Additional Options	List \$
Steel glides	15

Shipping Details

Class: Frame: Density Based Class, Seat: 70
NMFC#:
Assembly: Frame: 80580, Seat: 83620
Ground: Some Assembly
 Yes with limitations, call Estimating.

WB Manufacturing Warranty

WB Manufacturing's Promise

WB Manufacturing warrants that its products shall be free of substantial defects in original material and workmanship based on specifications from the date of delivery to the extent detailed herein.

WB Manufacturing promises to repair or replace any WB Manufacturing brand product or component that is defective in material or workmanship under normal use for one (1) year. This is the sole and exclusive remedy for WB Manufacturing products to be found defective. This warranty applies to WB Manufacturing products from the date of delivery to the End User and is non-transferable but is subject to limitations, exclusions or other provisions detailed below. End User implies the final purchasing entity acquiring the product from a WB Manufacturing Authorized Dealer for the purchaser's use and not for resale, remarketing or distribution.

WB Manufacturing Warranty Terms

1 Year Warranty

WB Manufacturing warrants that its steel frame benches, stools and electrical components are free of substantial defects in original material and workmanship for (1) year from the date of delivery. This warranty is subject to the limitations and exclusions indicated below.

WB Manufacturing warrants that its laminate tops, butcher block tops, phenolic tops, epoxy tops, stainless steel tops, high wear and moveable parts (ie: casters, glides, etc.) shall be free of substantial defects in original material and workmanship for one (1) year from the date of delivery.

WB Manufacturing Warranty Exclusions

Exclusions

This warranty does not apply and no other warranty applies to the following:

- Defects caused by abuse, modification or alteration of the product.
- Any damage caused in transit by the carrier. WB Manufacturing will handle this with separate terms.
- Ordinary wear and tear (including but not limited to, scratching of laminate, phenolic, epoxy and butcher block tops which are to be expected over the course of ownership.
- Products installed, used or maintained without following product specifications, assembly instructions or WB Manufacturing recommendations and warnings.
- Any intentional modifications or attachments to the product that were not designed or approved by WB Manufacturing.
- Product exposure to water, high or low humidity.

WB Manufacturing Warranty Cont.

WB Manufacturing Warranty Limitations

Warranty Limitations

This warranty is provided only to the initial purchaser, is non-transferable and is valid strictly for as long as the product is owned by the original customer. To be protected under this warranty, all products must be stored in areas of controlled temperature and humidity, and periodic regular scheduled maintenance must be performed. Cleaning of the high pressure laminate should be done by warm water and a non-abrasive cleaner. Abrasive materials should not be used for cleaning.

This warranty does not cover improper assembly/installation, failure as a result of inadequate inspection and maintenance, accident, vandalism or freight damage. Any incidental or consequential damages, including but not limited to business losses, personal property damage, and third party liabilities are hereby expressly excluded.

WB Manufacturing shall repair or replace, at its discretion, any portion of the product which proves to be defective under the terms of this warranty. Freight and installation costs are not included. WB Manufacturing may elect to substitute a reasonably comparable product, or a cash refund of the original purchase price (less reasonable depreciation) in the event the original warranted product is no longer manufactured at the time the warranty is exercised.

WB Manufacturing products are not recommended or warranted for outdoor use. Some natural color variations occurring in plastics, laminates, paints or other natural materials are inherent to their character and cannot be avoided. WB Manufacturing does not consider these as defects. In addition, color-fastness or matching of colors, grains or textures of such materials are not warranted. Materials used at the request of a user or provided by customer is not warranted.

There are no implied warranties of fitness or merchantability, and there are no other express warranties beyond the warranties expressed here.



WB's Focus is to Exceed in Green Initiatives

WB Manufacturing, a manufacturer of custom work surfaces, tables, furniture and casework, has adopted a green operations initiative that values environmentally responsible practices in manufacturing and operations of its facility.

WB Manufacturing incorporated a broad range program affecting everything from materials that go into its products to its standards on the manufacturing floor. "The process to go green involved reviewing all areas of the business," said Steve Burgess, President.

Energy consumption is a major expense for the organization, but WB Manufacturing found that with a few simple changes from energy efficient lights on the 200,000 square foot plant to motion sensor light switches in the office area resulted in reduced usage by 54% and significantly lower energy bills. WB Manufacturing also voluntarily participates in the peak load lighting conservation program with the local utility company.

Recycling has always been a standard business practice from using recycled paper in the office equipment and recycled corrugated cardboard for packaging to recycling aluminum cans and plastics. WB Manufacturing even recycles the salvage particle board and MDF scraps using a dedicated shredder to create small bedding particles for local farms.

As part of our green manufacturing focus, WB Manufacturing routinely acquires products like particle board and medium density fiberboard (MDF) with No Added Formaldehyde (NAF), Ultra Low-Emitting Formaldehyde (ULEF) in addition to standard industrial grade particle board, medium and thin density fiberboard and plywood used in our products that is both California Air Resource Board (CARB) Phase 2 and Environmental Protection Agency (EPA) TSCA Title VI compliant. WB Manufacturing is constantly evaluating its suppliers to ensure that their products are constructed using recycled wood fiber, as well as compliance to these regulations required for our industry and services provided.

CARB established emission standards for wood products made with urea-formaldehyde resin products being sold in the State of California. The stated goals of CARB include attaining and maintaining healthy air quality; protecting the public from exposure to toxic air contaminants; and providing innovative approaches for complying with air pollution rules and regulations. In selecting particle board and MDF, WB Manufacturing selects Eco-Certified Composites (ECC). In addition to the adherence to CARB regulations, all composite wood products supplied by WB Manufacturing are also compliant to the EPA TSCA Title VI regulations that became effective as of June 1st, 2018.










WB Manufacturing supplies labeled products in accordance to the California Safe Drinking Water and Toxic Act of 1986 (a.k.a. - Proposition 65 Act). This Act requires all businesses to provide warnings to users in California about exposures to chemicals that cause cancer, birth defects or other reproductive harm.

WB Manufacturing continues to focus its operation on complying with manufacturing standards that puts the health and welfare of the planet and our people first. Our focus is to exceed in green initiatives and standards.

Visit wibenchmfg.com to learn more about our involvement in the following programs:

- **Eco-Certified Composite Standard**
- **California Air Resource Board**

Standard HPL* Lotz Armor Edge™ is standard for edge band. If optional 3mm edge band is chosen, laminates shown below have matching 3mm edge banding unless otherwise noted.

 WB White WI 1573-60	 WB Folkstone PI SG241-SD	 Love Letterst† PI AW300-SD	 WB Classic Linen WI 4943-38	 Vision Vava† NE VA2002-SD	 Cookies & Cream PI AG130-SD	 WB Dove Grey WI D92-60	 WB Grey Nebula WI 4622-60
 Walnut Grove PI WW050-SD	 WB Black WI 1595-60	 WB Asian Night NE WX1150-SD	 WB Little Black Dress PI AE100-SD	 WB Burnt Strand FO 6307-58	 Wrought Iron NE S6054-SD	 WB Sleeping In PI WT870-SD	 Looks Likatre† PI WP110-SD
 Chocolate Warp† FO 5881-58	 WB Buka Bark WI 7982-38	 WB Fusion Maple WI 7909-60	 WB Hardrock Maple PI HP256-SD	 WB Honey Maple PI WM951-SD	 WB Bannister Oak WI 7806-60	 WB Oiled Cherry PI WC421-SD	 WB American Cherry PI WC135-SD
 WB Earthen Warp FO 5880-58	 Beachcomber PI AT988-SD	 Picnic in the Park PI WA030-SD	 WB Almond WI D30-60	 Eggplant† WI 4913-60	 Cassis FO 6903-58	 WB Hollyberry WI D307-60	 Tangerine† WI 4915-60
 Blueberry Hill PI SB040-SD	 Summer Vacation PI SB027-SD	 Blue Agave† WI 4919-60	 Ocean WI D502-60	 Sprout† WI 4918-60	 Island WI D498-60	 Forsythia PI SY913-SD	 Fresh Papaya NE S8001-SD
 WB Woolamai Brush WI 4746-60							









Additional Wilsonart, Formica and Panolam laminates available. Call estimating for a custom quote or complete collection.



HPL with Solid Complementary 3mm Edge Band

†Matching edge banding is not available for these patterns



HPL	 Vision Vava† NE VA2002-SD	 Love Letterst† PI AW300-SD	 Looks Likatre† PI WP110-SD	 Chocolate Warp† FO 5881-58	 Blue Agave† WI 4919-60	 Sprout† WI 4918-60	 Tangerine† WI 4915-60	 Eggplant† WI 4913-60
Edge Band	 WB Folkstone	 Pepperdust	 Pepperdust or Wrought Iron	 Nubian Brown	 Summer Vacation	 Solid Sprout	 Fresh Papaya	 Cassis

Lotz Armor Edge™



Lotz Armor Edge™

Standard Lotz Armor Edge™ Colors


			
Black (default)	Dove Grey	Slate Grey	Indigo

Premium Lotz Armor Edge™ Colors

Contact Estimating for details on pricing.

				
Purple	Red	Orange	Green	Blue

Standard .5mm PVC Edge Band

			
WB Almond	WB Black	Dove Grey	WB White


Chemical Resistant HPL*



WB Black

*Chemical Resistant laminate is a non-standard finish and is priced accordingly throughout the catalog. Other color and finish options are available with extended lead times and possible upcharges. For specific color matching, please request color chip from the manufacturer.

HPL ESD Laminate Colors

		
WB White	WB Almond	WB Dove Grey

*Laminates noted with WB prefix are stocked options. All laminates above are standard options; Available quantities, sizes and lead times may vary based on market fluctuation. Contact customer service for lead time.



We Can. Design. Build. Deliver.
Industrial tops for any situation

Contact Info

☎ P (800) 242-2303 | F (715) 669-5929

📍 507 E. Grant St., Thorp, WI 54771

✉ info@wibenchmfg.com

🌐 www.wibenchmfg.com