

Shop Equipment

Shop Equipment PROFESSIONAL PRODUCTS BUILT TO LAST

Borroughs has a long history of making the best shop equipment in the industry. Our shop equipment offerings include work benches, technician carts, wall mounted cabinets, tool boxes and specialty desks. Each of these products combines heavy duty construction with superior fit and finish.

Ledge Shelf Accessory










WORK BENCHES

Whether you need a basic open leg work bench or a complete integrated workstation, Borroughs has a work bench to fit your need. Borroughs work benches are constructed of heavy gauge steel and are designed for durability. Work benches can be customized by adding accessories.

SEMI-PORTABLE KIT

Kit includes two wheels with leg cleat and two handles for opposite end of bench. Leg, with wheel assembly, is adjusted to a shorter position than handle end. The handles telescope.

Catalog 🛛	Size
14854-000	28" and 34"




PORTABLE KIT

Consists of foot supports and four easy-rolling 4" diameter casters (two are braking). Stems are easily bolted to foot plates with special threaded stems, and can be attached to a Borroughs Bench at any time to provide complete mobility.

Catalog 🛛	Size
14845-000	4" diameter



Available in your choice of seven colors. Borroughs Standard Industrial Colors





WORK BENCHES

All work benches include a steel top. To order with a stainless steel top, just add "SS" to the catalog number. To order other upgraded tops—contact your account representative.



OPEN BENCHES

100 SERIES		
Catalog 🛛	Size	
WB100	48" x 28"	
WB101	48" x 34"	
WB102	60" x 28"	
WB103	60" x 34"	
WB104	72" x 28"	
WB105	72" x 34"	
VVB105	72 x 34	

120 SERIES		
Catalog 🛛	Size	
WB120	48" x 28"	
WB121	48" x 34"	
WB122	60" x 28"	
WB123	60" x 34"	
WB124	72" x 28"	
WB125	72" x 34"	

130 SERIES		
Catalog 🛛	Size	
WB130	48" x 28"	
WB131	48" x 34"	
WB132	60" x 28"	
WB133	60" x 34"	
WB134	72" x 28"	
WB135	72" x 34"	

Borroughs Bench Top Selection

- MT Edge-Grain Hard Maple Top
- LM Laminate Top
- RL Radius Edge Laminate top
- MD Multi-Duty Wood Top
- SD Static Dissipative Top
- PW Pressed Wood on Steel Top
- SS Stainless Steel Top







160 SERIES		
Size		
48" x 28"		
48" x 34"		
60" x 28"		
60" x 34"		
72" x 28"		
72" x 34"		

MODU-BENCHES

420 SERIES		
Catalog 🛛	Size	Notes
MB420	48" x 28" x 34"	with base
MB421	60" x 28" x 34"	with base
MB422	72" x 28" x 34"	with base
MB426	48" x 28" x 30 ¾"	no base
MB427	60" x 28" x 30 ³ ⁄ ₄ "	no base
MB428	72" x 28" x 30 ¾"	no base

430 SERIES		
Catalog 🛛	Size	Notes
MB431	60" x 28" x 34"	with base
MB432	72" x 28" x 34"	with base

440 SERIES		
Catalog 🛛	Size	Notes
MB441	60" x 28" x 34"	with base
MB442	72" x 28" x 34"	with base













COMPONENTS and ACCESSORIES



WORK BENCH TOPS

Your choice of work bench tops is essential for maximum safety and performance. Our range of top materials has been selected specifically to provide the flexibility you need.



STAINLESS STEEL TOPS

Heavy gauge stainless steel, with polished corners, formed over a wood core. Includes stringer.

Catalog #	Size
14820-S03	48" x 28"
14856-S02	60" x 28"
14857-S02	72" x 28"



SOLID MAPLE TOPS

Ideal for electrical, woodworking, toolmaking and instrument work. Sanded satin smooth and has a lacquer finish.

Catalog #	Size
00428-061	48" x 28" x 1 ¾"
00434-061	48" x 34" x 1 ¾"
00528-061	60" x 28" x 1 ¾"
00534-061	60" x 34" x 1 ¾"
00628-061	72" x 28" x 1 ¾"
00634-061	72" x 34" x 1 ¾"

STATIC DISSIPATIVE TOPS

Perfect for delicate electronic work or any application where static is a problem. Top is composed of special static dissipative almond-colored high pressure laminate, with a rounded front edge, over medium density industrialgrade particle board.



PRESSED WOOD ON STEEL TOPS

Facing of ¹/₈" treated hardboard in natural finish bonded to a standard steel top. Includes stringer.

Catalog #	Size
14883-000	48" x 28" x 1 7⁄8"
14883-001	48" x 34" x 1 ½"
14883-002	60" x 28" x 1 ½"
14883-003	60" x 34" x 1 ⁷ ⁄ ₈ "
14883-004	72" x 28" x 1 ½"
14883-005	72" x 34" x 1 ⁷ ⁄ ₈ "

Size
48" x 28" x 1 ¾"
48" x 34" x 1 ¾"
60" x 28" x 1 ¾"
60" x 34" x 1 ¾"
72" x 28" x 1 ¾"
72" x 34" x 1 ¾"

STAINLESS STEEL

END GUARD ASSEMBLY

End guards prevent material from falling off ends of single or joined benches. Punched for bolting to bench top.

Catalog #	Size
14822-003-00	28"

STAINELSS STEEL

BACK GUARD ASSEMBLY

Back guards prevent material from falling off bench at rear. Project 3" above bench top and are punched for bolting to bench top and end guards.

Catalog #	Size
14818-003-000	48"
14818-004-000	60"
14818-005-000	72"



STEEL TOPS

Heavy-duty top which won't absorb oil or dirt. Tops are 12 gauge steel with channel formations front and rear. Includes stringer.


Catalog #	Size
14881-S00	48" x 28" x 1 ¾"
14881-S01	48" x 34" x 1 ¾"
14881-S02	60" x 28" x 1 ¾"
14881-S03	60" x 34" x 1 ¾"
14881-S04	72" x 28" x 1 ¾"
14881-S05	72" x 34" x 1 ¾"



LAMINATE TOPS

High pressure laminate in a grey linen-look finish over medium density industrial-grade particle board.

Catalog #	Size
11020-000	48" x 28" x 1 ⁵ ⁄ ₈ "
11020-001	48" x 34" x 1 ⁵ ⁄ ₈ "
11020-002	60" x 28" x 1 ⁵ ⁄ ₈ "
11020-003	60" x 34" x 1 ⁵ ⁄ ₈ "
11020-004	72" x 28" x 1 ½"
11020-005	72" x 34" x 1 ½"



RADIUS EDGE LAMINATE TOPS

Almond colored high pressure laminate over medium density industrial grade particle board. Radius front edge provides improved aesthetics and user comfort.

Catalog #	Size
11018-000	48" x 28" x 1 ¾"
11018-001	48" x 34" x 1 ¾"
11018-002	60" x 28" x 1 ¾"
11018-003	60" x 34" x 1 ¾"
11018-004	72" x 28" x 1 ¾"
11018-005	72" x 34" x 1 ¾"



MULTI-DUTY WOOD TOPS

For maximum resiliency. Provides a non-conductive, warp-and splinter-proof top that protects delicate and finished parts. Composition wood core is faced on both sides with $\frac{3}{16}$ " tempered hardboard and edged with hard maple and has a hot-lacquer finish.

Catalog #	Size
00428-062	48" x 28" x 1 ¾"
00434-062	48" x 34" x 1 ¾"
00528-062	60" x 28" x 1 ¾"
00534-062	60" x 34" x 1 ¾"
00628-062	72" x 28" x 1 ¾"
00634-062	72" x 34" x 1 ¾"



Borroughs Work Bench Top – Multiple uses, multiple surfaces. Configure your bench for maxiumum performance.

LEDGE OR TOP SHELF

Keeps tool boxes, testing equipment, etc., off working surface. Pierced for bolting to back guard or top. Can be tiered to provide shelf-on-shelf arrangement.

Catalog 🛛	Size
14851-000	48" x 10"
14851-001	60" x 10"



STRINGER

Made of 18 gauge steel. Eliminates sway and adds rigidity to work bench. Attaches to the back two legs. May also be used as a shelf backstop. Stringer is 5" high with $\frac{3}{4}$ " flanges. One required for each bench.

Catalog 🛛	Size
14827-000	48"
14827-001	60"
14827-001	60"

FOOT REST

Used when a bottom shelf is not needed on open work benches, adding extra rigidity. Bolted to cross rails of leg assemblies. Box channel, 16 gauge steel.

Catalog 🛛	Size
14879-000	48"
14879-001	60"



BOTTOM SHELF

Made of heavy-gauge steel, 15" deep, with a formed lip in front and a 1" flange in back. Attaches to cross rails of work bench legs.


Catalog 🛛	Size
14826-000	48" x 15"
14826-001	60" x 15"



ENCLOSURE PANELS

Encloses bench for protection of stored materials.

Catalog 🛛	Size	
BACK I	PANEL	
14853-000	48" x 21"	
14853-001	60" x 21"	
14853-002	72" x 21"	
END PANEL (SETS OF TWO)		
14852-000	28" x 34"	



BACK GUARD AND END GUARD

Back guards prevent material from falling off bench at rear. Project 3" above bench top and are punched for bolting to bench top and end guards.

BACK GUARD	
14824-000	48"
14824-001	60"
14824-002	72"
END GUARD (SI	ETS OF TWO)
14822-000	28"
14022 000	20




LEVELING SCREW

Catalog □

Allows for easy height adjustment and leveling of the unit on irregular and uneven surfaces. Each leg adjusts independently without having to tip the unit. Sold in pairs.

Description



ELECTRONIC RISER

Electronic riser provides a power source without the use of cumbersome extensions cords as well as a handy shelf for tools or bulky instruments. Dimensions: 18"h x 14"d (interior height is $15 \frac{1}{2}$ "). Electrical knockouts are 1 3/8"h and are spaced as follows: 48" unit: 15", 60" unit: 21" 72" unit: 27"; all center-to-center. Must order riser cover kit for safety.

Catalog 🛛	Size
11013-000	48"
11013-001	60"
11013-002	72"
NOTE:	

Electrical outlets and wiring not included.



ELECTRONIC RISER COVER KIT

Kit contains steel panels to cover inside of riser preventing accidents caused by exposed wires. Also included are panels to cover unused outlet openings.

Catalog 🛛	Size
11014-000	48"
11014-001	60"



WORK BENCH LEG

The Borroughs work bench leg allows for height adjustment from 27 1/2" to 36" on 1" centers (first adjustment 1 1/2"). Work surfaces can be set at most comfortable height to reduce fatigue and improve productivity. In the future, benches can be reconfigured as personnel turn over or the needs of your business change. Fits 28" and 34" benches.

Catalog 🛛	
14828-000	

Shop Equipment

Size Adjustable height 27 1/2" to 36"



MODU-DRAWER UNIT

Made of 20 gauge steel. Provides four large drawers. Each drawer can be used with an optional grooved key lock or padlock hasp. Rollers and guides assure years of smooth operation. Units with steel tops require a Tier Drawer Support.

Catalog 🛛	Size
MDU15	15 ¼" x 20" x 29"
MDU21	21 ¹ ⁄ ₄ " x 20" x 29"
MDUB15	15 ¼" x 20" x 32 ¼"
MDUB21	21 ¼" x 20" x 32 ¼"



MODU-BENCH CABINET

Made of 22 gauge steel. Can be positioned with either end up for left-or-right-hand opening. Door comes with recessed handle and knock-out for optional grooved key lock. One shelf included, adjustable in three positions. Units with steel tops require a Tier Drawer Support.





www.borroughs.com

TIER DRAWERS

Used with work benches, modu-benches or transmission tear-down benches. Can be mounted individually beneath the bench, side-by-side, or hanging in tiers. Borroughs' Drawers are designed to be tiered and have "dimples" for stacking. A base for stacked units is available. Drawers slide easily on steel rollers and guides. Made of 20 gauge steel. Units with steel tops require a Tier Drawer Support.



HANGING DRAWER PEDESTAL

Used with work benches and modu-benches. Drawers slide easily on steel rollers and guides. Made of 20 gauge steel. Units with steel tops require a Tier Drawer Support. Requires additional lead time. Includes plunger lock.

Catalog 🛛	Size
HDP2	15 ¼" x 21" x 19 ¼"

TIER DRAWER/HANGING PEDESTAL SUPPORTS

Attach to underside of steel tops for support of tier drawers and hanging drawer pedestals. Bolts in front and rear, and allows positioning of drawer anywhere along underside of top. Sold in pairs.

Catalog 🛛	Size
14823-000	28"

TIER DRAWER TRAY

Holds small tools, parts and instruments conveniently away from main contents of drawer. Rests on flanges on the tier drawer.



TIER DRAWER/ MODU-CABINET BASE

Made of 20 gauge steel. Two sizes available. Flanged at top and bottom, with dimples matching the drawers for easy stacking. Adds 3 $\frac{1}{4}$ " to bench height. Use 15 $\frac{1}{4}$ " width base for Modu-Bench Cabinets.





SPECIALTY BENCHES

ELECTRONICS BENCH

This bench combines the convenience of a riser with the electrical outlets needed for so many tasks. Ideal for applications requiring bulky instruments, the riser also creates an excellent storage area and power supply for tools. Must include a riser kit cover for safety (page 101).

Catalog 🛛	Size
WB190	48" x 28"
WB191	48" x 34"
WB192	60" x 28"
WB193	60" x 34"
WB194	72" x 28"
WB195	72" x 34"
NOTE:	
Electrical outlets and wir	ing not included

Electrical outlets and wiring not included.

WALL MOUNT BENCH

Borroughs' wall mount bench fastens directly to the wall and needs no contact with the floor. This makes clean-up as easy as running a broom under the bench. No legs get in the way or create hard to reach places where dirt and refuse collect.

Catalog 🛛	Size
WMB300	48" x 28"
WMB302	60" x 28"
WMB304	72" x 28"
WMB305	72" x 34"




WALL MOUNT LEG

.....

Our wall mount leg is available for existing or custom bench tops. Legs sold in pairs. Require steel attachment channels for use with wood or laminate tops.

Catalog 🛛	Size	
Wall Mount Leg		
11000-000	28" & 34" deep	
Steel Attachment for Wall Mount Leg		
14813-000	28"	
14813-001	34"	





ACCESSORIES

GROOVED KEY LOCK

Designed specifically for Tier Drawers and Modu-Bench Cabinets. Install simply and easily at any time. Each lock can be keyed differently. Master keys are available.



PADLOCK HASP

Padlock hasps enable you to use a padlock to secure your tier drawer. Works only with tier drawers.



GROUND STRAP

Catalog 11021-000



TECHNICIAN BENCHES

TAPER LEG ENCLOSED BENCHES, SERIES 200-300

Choose your preferred work surface (stainless shown, painted steel is standard). Legs and surface are 12 gauge steel. The full length cabinet features a 500 lb. capacity adjustable center shelf, standard sliding doors and a key lock. No exposed hardware. Caster base is recommended for the 28" high to ensure proper height work surface.

Catalog 🛛	Size
WTL200	48" x 28" x 28"
WTL202	60" x 28" x 28"
WTL204	72" x 28" x 28"
WTL300	48" x 28" x 34"
WTL302	60" x 28" x 34"
WTL304	72" x 28" x 34"



TAPER LEG ENCLOSED BENCHES, SERIES 350

The 350 Series has all the features of the 200 and 300 series. The 350 Series has an elevated bottom shelf and shorter doors (28") to allow for cleaning underneath the bench.

Catalog 🛛	Size
WTL350	48" x 28" x 34"
WTL352	60" x 28" x 34"
WTL354	72" x 28" x 34"



CASTER BASE

Make your Taper Leg benches mobile, sturdy wideprofile casters rated for 600 lb capacity. 11 gauge welded tube construction for rigidity.

Catalog 🛛	Size
11147-000	48"
11147-001	60"
11147-002	72"



SPECIALTY BENCHES

ENCLOSED TECH BENCH, SERIES 300

Available with painted or stainless steel top. The full length cabinet features a 500 lb. capacity adjustable center shelf. *Doors must be ordered separately.*

Size
48" x 28" x 34"
60" x 28" x 34"
72" x 28" x 34"



LOCKING SLIDING DOOR KIT SERIES 300

Catalog 🛛	Size
WSDL300	48"
WSDL302	60"
WSDL304	72"



TRANSMISSION TEAR-DOWN BENCH

The 48" x 28" angled top, with plastic catch bin, keeps transmission and engine repair messes contained. The bin removes easily for dumping fluid. Adjustable leg height. Two rigid and two locking casters.

Catalog 🛛	Descriptions
11106-001	stainless steel top
11106-000	painted steel top



SHOP FURNITURE

COUNTER UNIT WITH STAINLESS STEEL TOP

Our Quicklane counter is designed for efficiently storing fast moving small or medium-size parts, and is great for retail and tech counters. The lower shelf is ideal for storing fluids and bulky items.

Catalog 🛛	Size
HDC8424	84" x 25" x 39"
HDC7224	72" x 25" x 39"



WALL MOUNT STORAGE CABINET

Mounts conveniently to walls. Swing doors and adjustable center shelf maximize efficient storage space. Key lock for security. Shown with standard top. Optional angle top.



WALL MOUNT CABINET ANGLED TOP KIT

Optional angle top creates a sleeker finish, reducing clutter.

Catalog 🛛	Size
11125-000	36" x 13" x 6"



TIRE RACKS

Borroughs Tire Racks are made of Rivet-Span construction, and require no nuts or bolts for assembly. Tires rest on angle beam, keeping them securely in place. Available in single or double-entry units.

Catalog 🛛	Unit Width	Unit Depth	Beam Height	Tire Levels	List Capacity
B60SETB37	60"	12"	7'/84"	3	24
B60SETB40	60"	12"	10'/120"	4	32
B60SETB52	60"	12"	12'/144"	5	40
B60DETB37	60"	42"	7'/84"	3	48
B60DETB40	60"	42"	10'/120"	4	64
B60DETB52	60"	42"	12'/144"	5	80



BATTERY RACKS

Borroughs gravity-fed Battery Racks offer four levels of battery storage on angled mesh decking, with no rollers to break or seize. A corrosion resistant coating ensures longevity.

Catalog 🛛	Unit Capacity	Unit Width	Unit Depth	List Height
6036604S (Starter)	100	60"	36"	60"
6036604A (Adder)	100	60"	36"	60"

Note: Wire decking is galvanized.



BUMPER RACKS

Borroughs Bumper Racks save floor space by storing bumpers and bumper covers vertically. Elevated arms with 24" depth adjust in 1" vertical increments. Made from heavy duty 16 gauge steel. Anti-tip angle iron base can be easily anchored to the floor for extra stability.

Catalog 🛛	Size	Levels	Sides
BCRS4-844836	84"H x 48"W x 36"D	4	Single Sided
BCRD4-844860	84"H x 48"W x 60"D	4	Double Sided
BCRS5-964836	96"H x 48"W x 36"D	5	Single Sided
BCRD5-964860	96"H x 48"W x 60"D	5	Double Sided
BCA24-2			Extra Level (2 Arms)



RTA CABINETS

STORAGE CABINET

Borroughs Storage Cabinets are built for functionality and longevity. Reinforced doors, bullet hinges, 4" riser base, 3-point locking system and satin chrome handles are standard. Shelves (4) adjust on 1.5" increments. 4" caster bases optional.

Catalog 🛛	Size
10870-000	78" x 36" x 18"
10870-001	78" x 36" x 24"
10870-004	72" x 36" x 18"
10480-010	72" x 36" x 24"

FULL WIDTH COAT ROD KIT

Borroughs Full Width Aluminum Coat Rod Kits provide hanging wardrobe storage for 36" wide openings

Catalog 🛛	Size
10899-008	36" x 18"
10899-010	36" x 24"



EXTRA SHELVES

Catalog 🛛	Size
10857-002	36" x 18"
10857-001	36" x 24"
10857-004	48" x 24"

CASTER BASE

Move any Borroughs Storage Cabinet easily with optional welded frame steel caster bases. Rubber casters add 4" to cabinet height. 600 lb. load capacity.

Catalog 🛛	Size
10899-058	36" x 18"
10899-059	36" x 24"



Shop Equipment

GARMENT CABINET

Borroughs Garment Cabinets are designed for garment storage. Reinforced doors, bullet hinges, 4" riser base, 3-point locking system and satin chrome handles are standard. 4" caster bases optional. Shelves adjust on 1.5" increments. 1" dia. aluminum coat rod comes standard.

Catalog 🛛	Size
10870-003	78" x 36" x 18"
Pictured 1" dia. aluminum coat rod	



COMBO STORAGE CABINET (NOT SHOWN)

Borroughs Combo Storage Cabinets combine garment and multi-purpose storage. Reinforced doors, bullet hinges, 4" riser base, 3-point locking system and satin chrome handles are standard. Includes (1) full-width and (4) half-width shelves. 4" caster bases optional. Shelves adjust on 1.5" increments.

Catalog 🛛	Size
10870-002	78" x 36" x 18"

XL CABINET (NOT SHOWN)

Borroughs XL Cabinets are designed for additional space. Reinforced sliding doors, bullet hinges, 4" riser base, 3-point locking system and levelers are standard. Shelves (4) adjust on 1.5" increments.

Catalog 🛛	Size
JSD2478SU	78" x 48" x 24"

COUNTER-HEIGHT CABINET

Borroughs Counter-Height Cabinets can double as a work surface or be stowed neatly under a counter or table. Reinforced doors, bullet hinges, 4" riser base, 3-point locking system and satin chrome handles are standard. Shelf (1) adjust on 1.5" increments. 4" caster bases optional.

Catalog 🛛	Size
10842-000	42" x 36" x 18"



UTILITY CARTS

INDUSTRIAL GRADE UTILITY CART

Four 5" rubber-tread casters on this rugged cart make the going easy, even in carpeted areas. Each of the two shelves is 3 $\frac{1}{2}$ " deep, with hemmed edges for a smooth finish. The top shelf can be inverted when a flat surface is desired.


Convenient push-bar type handle gives full control for steering cart. Swiveled casters at handle end, fixed casters at the other end. 18 gauge steel.

Catalog 🛛	Width	Depth	Height
00160-043	16"	30"	32"





Available in your choice of seven colors. Borroughs Standard Industrial Colors





EXTRA SHELVES (for industrial grade utility carts)

Extra shelves are available for additional storage. These shelves can be inverted when a flat surface is desired.

Catalog D	Width	Depth	Height
06707-000	16"	30"	3 1⁄2"



TECHNICIAN TOOL CART

Borroughs Technician Tool Carts are heavy duty, all steel construction, with lockable high density drawers for tool storage. The cart features an easy tip-up work shelf. Rigid swivel caster wheels are utilized for easy maneuvering.

Catalog 🛛	Width	Depth	Height
222233TC	22"	22"	33 ¹ / ₂ "
Includes (3), 3"			
222234TC	22"	22"	33 ¹ / ₂ "
Includes (1), 3" drawer	and (1), 6" drawer		



COMMERCIAL GRADE UTILITY CART

Borroughs Service Carts are strong, durable, lightweight, and are a highly versatile addition to any work area. Shelves are $3 \frac{1}{2}$ " deep. The top shelf can be inverted to provide a flush surface. 5" casters provide for smooth, easy movement on any surface. 20 gauge steel.

Catalog 🛛	Width	Depth	Height
14432-000	16"	30"	32"




Borroughs Powder Coat Colors

Borroughs Powder Coat Paint systems are state of the art, and result in some of the best powder coat finishes in the industry today. Our Green ISO 14001:2004 registered processes exceed current environmental standards and our powder coating contains no ingredients banned by the Environmental Protection Agency. Our innovative reclamation technology reclaims unused powder, and helps lead the way in the industry towards real Green solutions. Our finished surfaces will not emit any chemical compounds or VOC's into the air during product use, which could harm people or stored items.



Available in your choice of seven colors. Borroughs Standard Industrial Colors



The colors depicted on this publication have been reproduced using a printing process and are only provided as a guide. The actual painted product may vary. All colors are not available on all products. Please contact your Borroughs Dealer for details.



INDEX

High-Rise & Multi-Tier Systems	7
Multi-Level Catlwalk Systems	9
Multi-Level Full-Mat Sytems	10
High-Rise Shelving Systems	11
Multi-Level Cap Systems	11
Free-Standing Mezzanines	12
Proven Methods of Increasing Existing Storage Area	12
Box Edge Plus	13
Design Features	15-16
Basic Data	17
Capacity Testing Procedures	18
Open-Type Units	20
Closed-Type Units (without backs)	20
Closed-Type Units (with backs)	21
Cabinet-Type Units	21
Bin-Type Units	22
Counter-Type Units	23
Beaded Posts	24
Angle Posts	24
High-Rise Posts	24
Beaded Posts-Closed Sides	25
Angle Posts-Closed Sides	25
Shelving Backs	26
High-Rise Side Panels	26
High-Rise Back Attachment Kit	26
Back Panels for Special High-Rise Post Applications	26
Cross Braces	27
Face Braces	27
High Rise Back Braces	27
High Rise Side Braces	27
Box Edge Plus Shelves	28
Shelf-Support Brackets	28
Hardware	28
Fixed Shelf Dividers	29
Sliding Shelf Dividers	29
Angle Shelf Dividers	29
Shelf Boxes	30

Partitions for Shelf Box (dividers)	.30
Box Guides	.30
Beaded Post Bin Fronts	.30
Angle Post Bin Fronts	.30
Angle Post Bin Front Clips	31
High-Rise Captive Clips	.31
Shelf Lock	31
Shelf Divider Supports	31
Magnetic Label Holder	.32
Label Holders	.32
Long Parts Frames	.32
Boltless Hang Bars	.32
Shelf Saddle Reinforcements	.33
Shelf Side Supports	.33
Base Strips	33
Post Splicers 34-	-35
Catwalk Beams	35
Box Edge Plus Shelving Cap Systems	36
Face Aisle Cap Beam	.37
Outside Aisle Cap Beam	.37
Cross Aisle Cap Beam	.37
Single Face Back Cap	.37
Back-To-Back Cap	.37
Single Face Attachment Bracket	.37
Row End Hand Rail	.37
Row End Corner Splice Channel	.37
Row End Kick Plate	37
Framed Doors	38
Counter Backs	.38
Counter Tops	.38
Ledge Tops	.38
Foot Plates	.39
Shim Plates	.39
Post Foot Angle	.39
Post Covers	40
High Density (HD) Drawers	41
Sizes and Specifications	43
Features	.43
Components & Accessories	.44
Partitions	.44
Dividers	.44

Frame Swing Doors	45
Preconfigured Drawers	45-51
Plastic Bins	51
Preconfigured Kits	51
Configure Your Own Drawers	52
B-Span	53
Posts	54
B-Clip	54
Frames	55
Beams	56
Deck Over and Flush Bottom Beams	57
Decking	58
B-Span Capacities	59
Accessories	59
Bracing Patterns for Uprights/Frames	60
Rivet-Span	61
Beam Profiles	63
Beam Capacities	64-65
Post Capacities	65
Bulk Storage Units	66-68
Single Rivet Shelf Units	71
Double Rivet Low Profile Shelf Units	71
Components and Accessories	72
Angle Post	72
Post Splicer - Angle Post	72
Heavy-Duty Angle Post	72
Tie Plate - Angle Post	72
Post Splicer - T Post	72
T Post	72
Foot Plate	72
Single Rivet Beam	73
Z Tie	73
Double Rivet Low Profile Beam	73
Double Rivet Angle Beam	73
Double Rivet Z Beam	73
Tire Beam	73
Double Rivet Channel Beam	74
Aisle Tie	74
Support Tie	74
Back Spacer Tie	74
Wall Tie	74

Record Storage Support Angle74
Slotted Angle Cleat74
Hang Rod75
Aisle/Full Mat Decking Support75
Particle Board Decking75
Wire Decking75
Specification Data76
Record Holders77
Box Edge Plus Archival78 Record Storage Units
Box Edge Plus X-Ray Storage Units78
Rivet-Span Archival79 Record Storage Units
Aisle-Saver81
Mechanical Assist Systems83
Electrical Sytems83
Flexi-Bins85
Flexi-Bin (Preconfigured units)87
Components & Accessories87
Bin Frames87
Slotted Angle 89-90
Column Sections91
Additional Hardware91
Beam Sections (Combinations)92
Slotted Angle Configurations
Shop Equipment93
Work Benches
Semi-Portable Kit95
Portable Kit95
Open Benches96
Modu-Benches97
Components & Accessories98-104
Work Bench Tops 98-99
Stainless Steel Back Guard Assembly 98
Stainless Steel End Guard Assembly 98
Ledge or Top Shelf100
Foot Rest100
Stringer100
Bottom Shelf100
Enclosure Panels100
Back Guard & End Guard101
Electronic Riser101

Leveling Screw101
Electronic Riser Cover Kit101
Work Bench Leg102
Modu-Drawer Unit102
Modu-Bench Cabinet102
Tier Drawers103
Tier Drawer Tray103
Hanging Drawer Pedestal103
Tier Drawer/Modu-Cabinet Base103
Tier Drawer/Hanging103 Pedestal Supports
Grooved Key Lock104
Padlock Hasp104
Ground Strap104
Specialty Benches 104-106
Electronics Bench104
Wall Mount Bench104
Wall Mount Leg104
Technician Benches105
Taper Leg Enclosed Benches105
Caster Base105
Enclosed Tech Bench106
Locking Sliding Door Kit106
Transmission Tear-Down Bench106
Shop Furniture 106-107
Counter Unit With Stainless Steel $Top106$
Wall Mount Storage Cabinet106
Wall Mount Cabinet Angled Top Kit 106
Battery Racks107
Tire Racks107
Bumper Racks107
RTA Cabinets 108-109
Storage Cabinet108
Full Width Coat Rod Kit108
Extra Shelves108
Caster Base108
Garment Cabinet109
Combo Storage Cabinet109
XL Cabinet109
Counter-Height Cabinet109
Utility Carts110-111
Industrial Grade Utility Cart110

Extra Cart Shelves	.111
Technician Tool Cart	.111
Commercial Grade Utility Cart	.111
Powder Coat Colors	.112